

WHAT'S NEW, BLACK

A

- audio
 - clipped 138
 - audio attributes 136
- Levels and Pan 136
- audio clips
 - changing playback quality of 137–138
 - recording with the Voice Over tool 81
 - resampling 137
 - viewing playback quality of 137–138
- audio peak markers 139
 - removing 140
- audio peaks 138–140
 - finding 139–140
 - marking 139–140
- Audio Playback Quality pop-up menu 137
- audio timecodes 124
- Auto Contrast controls
 - Color Corrector 3-way filter 59–60
 - Color Corrector filter 51
- autosave feature 131–133
- autosave files 131–133
 - restoring 134–135
- Autosave Vault 131–133
 - changing settings for 131
 - settings for 132
 - viewing settings for 131
- Autosave Vault folder 132

VOLUME I, Blue

- μLaw format 374
- 16:9 button 501
- 16:9 media. See anamorphic media
- 16:9 video 378
- 16:9 Wide button 503, 504
- 160M SCSI disks 37
- 4:3 monitor 509
- 4:3 video 499, 502, 504
- 7.5 Setup waveform level 520
- A (VOLUME I)**
- A/V sync. See audio/video sync
- A2 tracks 419
- AA tracks 419
- Abort capture on dropped frames setting 66, 263
- absolute black 516
- AC-3 format 324
- acquisition process 20
- acquisition strategies 143–158
- adapters
 - BNC connectors 31, 32
 - FireWire technology and 32
 - Genlock connector 32
 - House Sync connector 32
 - RCA connectors 29, 31
 - SCART connector 33
 - S-Video connector 31
 - USB-to-serial adapters 29, 44, 45, 46
 - video equipment 31–33
 - XLR connectors 29
- Add Custom Extension option 406, 409
- Add File Type Extension option 406, 409
- Add Handles option 276
- Additive Dissolve transition 511
- Add Keyframe button 90
- Add Marker button 90
- Add to Find Results option 202
- Adobe Photoshop files 155, 307
- Advanced button 115, 122, 123
- Advanced QuickTime settings 116–118, 123–126
- After Effects filters 118, 164
- .aif extension 406
- AIFF files 21, 329, 436–441
 - compression 374
 - edit points and 436
 - exporting audio tracks as 329, 436–441
 - extension for 406
 - importing 441
- AIFF format 21, 157, 374, 399
- All Files option 214, 216
- All Frames option, for external video 134
- All Items in Logging Bin option 275
- alpha channels 327, 328, 329
 - changing 297
 - codecs and 328
 - defined 525

- identifying 297
- image formats 21, 155
- image sequences and 329
- importing clips with 296–297
- JPEG movies and 328
- QuickTime files and 296–297, 328
- reversing 297
- types of 296
- video codecs and 154
- Alpha column in Browser 167
- Alpha Type property 209
- Always Render in RGB setting 118
- ambience tracks 442
- analog audio 28, 48
- analog devices
 - See *also* devices; video devices
- analog-to-DV system 46–48
 - connecting to capture card 47–48
 - data rates 122
 - FireWire and 40
 - monitoring audio from 28
 - outputting audio from 28
 - patch panels 30
 - USB-to-serial adapters 29
 - video camcorder 29
- analog formats 17
- analog system 25, 46–48
- analog-to-digital capture cards 27, 28, 30, 31, 47
- analog-to-DV system 46–48
- analog video
 - See *also* digital video; video
- artifacts 31
 - black level 242
 - color calibration 518, 520
 - described 17–18
 - duplication of 18
 - output to 322
 - quality of 18
- Anamorphic 16:9 setting for sequences 113, 505–508
- Anamorphic column in Browser 167
- anamorphic lens 503, 504
- anamorphic media 499–510
 - benefits of 502–503
 - capturing 121, 504–505
 - described 499–501, 525
 - disadvantages of 500
 - editing 505–508
 - exporting to QuickTime 510
 - exporting to tape 509
 - recording 503
 - rendering 508
 - rescaling and 499, 501
 - viewing 505–508
- Anamorphic property 113, 210
- animation
 - animating filters 72
 - animating motion effects 73
 - FLC format 373, 388
 - from Photoshop files 156
- Animation codec 154, 328
- animation movies 154, 328
- A-only edit 525
- AppleCare Knowledge Base 447
- AppleCare Support 456
- Apple DV codec 145, 328
- Apple FireWire. See FireWire
- Apple FireWire NTSC option 131, 132, 133
- Apple FireWire PAL option 131, 132, 133
- Apple M-JPEG codec 114, 154, 328
- Apple Store 13
- Apple System Profiler 456
- AppleTalk 53, 449
- Apple Web sites 11–13
- applications, third-party 11, 60
- A-roll 525
- Around option 342
- Arrange command 197–198
- artifacts
 - analog video and 31
 - M-JPEG codecs and 328
 - Motion J-PEG and 154, 328
 - recording speed and 341
 - video codecs and 154, 328
- aspect ratio 499, 502, 503, 525
- Assemble edit button 364
- assemble editing 349, 350, 351, 362–365
- ATA interface 36
- A tracks 419
- Aud Format column in Browser 167
- audio
 - See *also* volume
 - adjusting for playback 345
 - adjusting gain 247–248
 - analog audio 28, 48
 - audio sweetening 435
 - balanced vs. unbalanced 29
 - bit resolution 386, 392, 400
 - capture presets 122–126, 280–286
 - capturing 156–157, 280–286
 - compressed audio 374, 380
 - compression 374, 380
 - correcting levels 28–29
 - DVD audio 324
 - exporting 284–286, 398–400, 435–444
 - exporting audio only 372–373, 398–400
 - exporting to OMF 330
 - file formats 21, 157, 290, 374
 - flattening 439
 - image sequences and 329
 - importing 157
 - levels. See audio levels
 - levels of 427
 - matchboxes 29

- matching for clips 90
- matching for sequences 90
- mixed levels 425
- mixing. *See* audio mixing
- monitoring from DV device 28
- monitoring output levels 78
- output rate 385, 392, 400
- prerecorded 157
- presets 64, 115–118
- problems with 28, 29, 449–452, 454–455
- quality of 156, 436, 442, 443, 455
- QuickTime settings 115–118, 122–126, 385–386
 - recording 157–158
 - reference tone 247
 - sample rates 309–310
 - sequence presets 115–118
 - settings for 64, 311
 - synchronizing with video. *See* audio/ video sync
 - types that can be captured 156
 - unrendered 340
 - volume. *See* audio levels
- Audio/Video Settings window 64, 106–111, 130, 338
- audio/video sync (A/V sync)
 - problems with 449–452
- audio channels 428
- audio clip icon 171
- audio clips
 - See also* clips
- avoiding overlap of 438
 - capturing 156
 - defined 525
 - downsampling 309
 - dragging to Browser 311
 - handles 443
 - upsampling 309
 - volume. *See* audio levels
 - waveforms 72
- Audio column in Browser 167
- audio devices 28
- audio editing
 - See also* editing
 - external speakers and 27
- audio editing application 441
- audio files
 - converting CD audio files 309–310
 - importing 309–312
 - MP3 audio files 308
 - OMF files 284–285, 330
 - QDesign audio files 308
 - sample rates 309–310
 - saving to scratch disk 56, 59
 - synchronized 441
- audio filter icon 172
- audio filters

- See also* filters; *specific filter names*
- OMF files and 442
- removing 439
- settings for 72
- Audio Format option 394
- Audio Format pop-up menu 238
- audio formats 329
- Audio Interchange File Format. *See* AIFF
- audio levels
 - adjusting 28
 - mixed 425
- Audio Levels setting 427
- Audio Mapping setting 428
- audio matchbox 28–29
- audio meters 28, 78
- audio mixer 28
- audio mixing
 - audio levels 425
- audio tracks 28
 - EDLs and 425
 - real-time audio mixing 449
- audio offset. *See* audio/video sync
- audio overlays 439
- Audio Playback Quality setting 309
- audio reference tone 247–248
- audio sweetening 435, 442
- Audio tab 72
- audio tracks
 - See also* tracks; video tracks
 - ambience 442
 - blank 380, 385
 - breaking up by type 438
 - compressing 385
 - default number of 66
 - dialog 442
 - disabled 441
 - EDLs and 424
 - empty 380, 385, 390
 - exporting 329
 - exporting as AIFF files 436–441
 - exporting as EDLs 285–286, 435–436
 - exporting as OMF files 156, 284–285, 441–444
 - importing from CD 158, 311–312
 - inserting sync beeps in 437–438
 - levels of 345
 - locking 394
 - mixing. *See* audio mixing
 - Mono output 386, 392, 400
 - music 442
 - number of 424
 - organizing 442
 - output of 329, 367
 - real-time mixing 449
 - sound effects 442
 - Stereo output 386, 392, 400
 - types of 442

- voiceover 442
- audio transition icon 172
- audio waveforms. *See* waveforms
- Aud Rate column in Browser 167
- au format 374
- Automatic Save Every setting 66
- autosave feature 174–175
- autosave files 175
- Aux TC 1-2 column in Browser 168
- Avid 24-track EDLs 318
- AVI format 373
 - described 373
 - exporting QuickTime files in 389–392
- AVI movies 389, 389–392
- AVI QuickTime files 389–392
- axis 526

VOLUME II, Green

- 16-bit audio 403
- 3 Band Equalizer filter 508
- 3D simulation transitions 318
- 3D simulation transitions 318
- 8-bit audio 403
- A**
- Abort capture on dropped frames
 - setting 542
- action safe boundaries 58
- Add Edit command 374
- Additive Dissolve transition 318
- Add Keyframe button 117
- Add Marker button 26, 80, 118
- alignment, transitions 295, 296, 448
- alignment buttons 297
- Alpha+RGB mode 56
- alpha channels
 - viewing in Viewer 55–56
- Alpha Compositor transition 320
- Alpha mode 56
- ambience tracks 515
- analog audio 401, 406
- analog waveforms 401
- Analyze Movie command 519, 520–522
- Attack Time control 491
- audio 399–515
 - adjusting gain 408
- audio sweetening 400
 - background noise 513
 - basic concepts 401–405
 - bit depth 401, 403
 - calling attention to 453
 - compressed audio 403, 490
 - cross fades 287, 444, 510, 514
 - cross fade transitions 448
 - displaying waveforms for 415
 - editing out problems with 400, 510–513
 - edit points 431–434
 - equalization filter 488
 - evaluating 399–401
 - expansion filter 491
 - external video and 39
 - importing 413–414
 - linking items 165–168
 - maximum number of tracks 478
 - mixdown audio 481–482
 - modifying audio transitions 448
 - moving between tracks 444
 - outputting 409–412
 - overdriven audio 406
 - playing 429–430
 - pops/clicks in 482–484, 511
 - post-production facility 400
 - presets 413
 - problems with 510–513
 - quality of 399

- recording 406–408
- reference levels 406–411
- rendering 456
- room tone 441–443, 511
- sample rates 402
- settings for 19, 413
- signal-to-noise ratio 405
- stereo pairs 167–168, 416–418
- subframe audio operations 428, 82–486
- working with in Timeline 436–444
- working with in Viewer 414–421
- audio/video sync (A/V sync) 387–396
 - adjusting 545
 - drift in 539
 - external video 110
 - marking clips in sync 395–396
 - moving clips into sync 393
 - moving items into sync 392–396
 - moving items out of sync 388–392
 - reasons for breaking sync 392
 - replace edits and 251
 - slipping clips into sync 394
 - subframe synchronization 485–486
 - Sync Adjust Movies setting 539–540
 - tips for 431
- audio clips
 - adding transitions between 445–447
 - applying filters to 494–496
 - average loudness 405
 - dragging to Browser 422
 - dragging to Canvas 422
 - dragging to Timeline 422
 - nesting 506–507
 - opening 422
 - pasting audio attributes 195, 496
 - peaks 405
 - quality of 431
 - resolution 428
 - scrolling through 427
 - scrubbing 428–430
 - shuttling through 430
 - trimming in Viewer 434–436
 - zoom controls 423–427, 439
- Audio command 478
- audio devices
 - calibrating for output 412
- audio editing
 - goals of 399, 430–432
 - in Viewer 432–436
- audio filters 486–510
 - adding 400
 - applying to audio clips 494–496
 - categories 488–494
 - changing order of 498
 - compression filters 490–491
 - controls in 488
 - copying/pasting between clips 496
 - displaying in Timeline 497
 - effects filters 493–494
 - enabling/disabling 498
 - equalization (EQ) filters 488–489
 - expansion filters 491
 - favorite filters 498–499
 - included with Final Cut Pro 508–510
 - keyframing 499–503
 - noise reduction filters 491–492
 - removing 498
 - rendering 504–506
 - stereo pairs and 487
 - viewing in Viewer 497
- audio gain setting 408
- audio levels
 - adjusting 405–412, 455–458
 - controlling 474, 476–477
 - keyframes and 455, 462–468, 474, 476–477
 - mixed 451–454, 467–468
 - monitoring 453
 - in Viewer 455–458
 - while recording 406–411
- audio meters 407, 454
- audio mixing 409–412
 - audio levels 451–454, 467–468
 - audio tracks 478–479, 540
 - described 12, 451
 - guidelines 452
 - options for 400
 - real-time audio mixing 478–479, 540
 - volume and stereo levels 451–454
- audio overlays 437, 455–456
 - adjusting pan or spread 461
 - adjusting volume 457
- audio scrubbing 429
- audio sweetening 399, 400
- Audio tab 18, 19, 414, 415–421
- audiotape 412
- audio track labels 139, 438, 549
- audio tracks
 - analyzing 521, 522
 - categories 515
 - cleaning up 510–515
 - default number of 550
 - disabling in clips 191
 - displaying in Timeline 136
 - display settings for 436–438
 - height of 437
 - labels 139, 413, 438, 549
 - locking in Timeline 158–159, 229
 - nesting 506–507
 - organizing 515
 - real-time mixing 478–479, 540
 - scrolling through 147
 - target tracks 162, 225–227
 - in Timeline 127, 152–154
 - track costs 480–481

- waveforms 436–437
- audio transitions 444–451
 - adding 288, 445–447
 - changing duration 294, 448
 - default 313–314, 446, 451
 - deleting 450
 - edit points 449–450
 - modifying in Timeline 448–450
 - swapping 448
- Aud Rate column in Browser 539
- Automatic Save Every setting 543
- autosave files 543

VOLUME III, Purple

- % of Blur parameter 45
- 4-Point Garbage Matte filter 139
- 8-Point Garbage Matte filter 139
- A Volume III, Purple**
- Abs function 219
- ACos function 218
- Add command 234
- Add compositing mode 31
- AddOffset command 234
- After Effects filters
 - clip parameters and 144
 - installing 144
- alpha channels
 - changing 22
 - creating 23
 - displaying information 24–25
 - nested sequences and 185
 - properties 20–21
 - QuickTime files and 20
 - reversing 22, 23
 - types of 20–22
 - using graphics clips with 20–26
 - using video clips with 20–26
- Alpha mode 63
- Alpha option 36
- Alpha Type menu 22
- AlphaType statement 252
- Anchor Point parameter 43
- Angle control 45, 120–121
- Angle parameter 44
- Angle statement 250
- AngleTo command 220
- animation
 - graphics for 110
 - with keyframes 76–109
 - resolution and 110
- Anti-Alias filter 142
- Arithmetic filter 133
- ASCIIOf command 240
- ASCIIToString command 240
- ASin function 218
- AspectOf command 220
- Aspect Ratio parameter 43
- Assert command 245
- assign statement 254
- ATan function 218
- audio
 - mixdown audio 175
 - rendering 173–175
- audio clips
 - rendering 175
- audio tracks
 - rendering 173–175
 - track costs 173, 174

B (WHAT'S NEW)

- blacks, mids, and whites ranges 24
- broadcast levels
 - guidelines for 25
 - illegal 25–27
 - legal 22, 25–27
 - range-checking options 26–27
- broadcast monitor
 - calibrating 25
 - using 25
- Broadcast Safe filter 41, 79–80
 - settings in 79–80
- Browser
 - columns in 120
 - Large Icons size in 119
 - saving a custom layout in 120
 - tooltips in 119
 - using a custom layout in 121

B (VOLUME I)

- backing up items
 - media files 174
 - project files 174
 - source clips 146, 147
- back light 526
- Band Slide transition 512
- Band Wipe transition 512
- bars. *See* color bars
- Base Output Filename option 408
- Batch Capture dialog box 239, 275–276
- batch capture lists. *See* batch lists
- batch captures 273–280
 - defined 526
 - example of 278
 - performing 150, 274–277
 - preparing for 273
 - restarting 279
 - stopping 279
- batch compression 526
- Batch Export command 332, 400, 402–403
- batch exports 400–411
 - changing item status 411
 - described 332
 - opening 411
 - performing 410
 - QuickTime movies 332
 - redoing 411
 - selecting items for 402–403
 - settings 403–409
 - setting up for 401
- batch lists 430–432
 - creating 150, 258–259, 431
 - described 223, 258, 526
 - exporting 431, 432
 - importing 150, 223, 259
 - problems importing 431
 - uses for 150, 430
 - vs. EDLs 416
- batch recapture 526
- Beta SP format 17, 144, 322
- Bezier curves 427
- Bezier handles
 - defined 526
- bin icon 171
- bins 183–189
 - See also* folders
 - adding items to 403
 - adding to projects 184
- batch exports 402–403
- batch export settings 403–404
 - Browser tab for 185
 - changing name of 403
 - closing 185
 - creating 184, 402, 403
 - deleting from projects 181
 - described 162, 526

- Favorites bin 70
- labels and 188
- log bins 150, 224, 254–255, 530
- moving items between 186
- opened in separate window 171, 185
- opening 180, 185
- renaming 181
- selecting 178–179, 410
- sorting 182–183
- bit depth 443
- bit rates 380
- black
 - absolute 240, 516
 - adding between color bars and slate 345, 356
 - adding between slate and countdown 346
 - adding to clip beginning 345
 - adding to sequence beginning 345
 - waveform level for 520
- black and code 360–361
 - preparing videotape with 360–361
- Black and Code button 353, 360
- blackened tapes 360
- black frames
 - adding to end of clip 346
 - adding to end of sequence 346
- Black setting 345, 346, 356
- black trailers 346, 356
- blue-screening 526
- BMP format 21, 374
- BNC connectors 31, 32
- Break in the Timecode message 452
- B-Reel list 420, 427
- brightness 118, 240, 518
 - measuring in analog video 241
 - measuring in digital video 241
- broadcast monitor 515–517
- broadcast video 301, 378, 526
- B-roll 22, 526
- Browser 69–70, 161–218
 - activating 178
 - bins in 180
 - changing clip properties 207–211
 - changing project properties 177
 - changing reel names 423
 - closing 69
 - closing projects 176–177
 - columns in 70, 166–171, 192–195
 - Comment 4 column 427
 - copying items in 180–181
 - creating projects 173–174
 - customizing appearance of 190–200
 - deleting items in 181
 - described 69, 162, 166
 - displaying items in 191
 - dragging audio clips to 311
 - exporting sequences as batch lists 432
 - icons in 171–172
 - icon view 195–198
 - illustrated 68
 - importing items in 291–293
 - keyboard shortcuts used in 468, 482
 - list view 192–195
 - navigating in 180
 - opening 69
 - opening projects in 176
 - organizing projects in 158
 - overview 166–172
 - poster frames 198
 - renaming items in 181
 - saving projects 173–175
 - searching for items in 201–206
 - selecting items in 178–179
 - shortcut menus in 485–487
 - sorting items in 182–183
 - tabs in 86
 - working in 178–183

B (VOLUME II)

- background noise 405, 431, 441, 453, 513
- backgrounds 57
- backtiming clips 218–220, 221, 232, 233
- Band Pass filter 508
- Band Slide transition 321
- Band Wipe transition 322
- bins
 - Favorites bin 309
- bit depth 401, 403
- black
 - fading to or from 289
- Box Slide transition 321
- Browser
- Browser/Viewer operations 30–38
 - copying clips to 181
 - dragging audio clips to 422
 - opening clips in 32, 422
 - organizing clips in 222–224

B (VOLUME III)

- background modes 63
- Bars and Tone (NTSC) generator 148
- Bars and Tone (PAL) generator 148
- Basic 3D filter 141
- Basic Border filter 132
- Basic Motion settings 42–43
- batch rendering 172
- Bevel filter 132
- Bezier curves 88, 89, 101–104
- Bezier handles 87–89
 - adding to keyframes 102, 107
 - adjusting curves 103–104
 - removing from keyframes 102
- BGDiff command 236
- black
 - kBlack constant 246
- Black alpha channel 21
- Blend command 228
- Blink filter 143
- Blit command 225
- BlitRect command 225
- Blue and Green Screen filter 137
- BlueScreen command 236
- BlurChannel command 227
- Blur command 227
- blur filters 132
- border filters 132
- BoundsOf command 220
- brightness 135
- Brightness and Contrast filter 135
- BumpMap command 232
- Bumpmap filter 134

C (WHAT'S NEW)

chip chart 18

chroma. *See* chrominance

Chroma Keyer filter 144–148

- creating a key with 146

- numeric controls 144

- settings in 146–148

- switching between numeric and visual controls 145

- visual controls 144, 146–148

chrominance 23

- broadcast legal levels 25–27

Clear Long Marks command 129

Clear Peak Marks command 140

clip attributes 136–137

See also audio attributes

- removing 136–137

clips

- viewing or changing composite modes 153

Color Balance controls 49

Color Corrector 3-way filter 58–59

Color Corrector filter 50–51

color correction 15–80

- basic steps 37–39

- comparing two clips 39

- defined 15–17

- during filming 17

- during post production 18–21

- Final Cut Pro's tools for 21

- primary 38

- projects shot on film 18–20

- projects shot on videotape 20

- tape-to-tape 20

- uses for 15–17

- using a chip chart 18

- using a telecine 18–20

color correction filters

See also specific filter names

- in Final Cut Pro 41–42

- location of 41

Color Corrector 3-way filter 41, 43

- Auto Contrast controls 59–60

- Color Balance controls 49, 58–59

- Copy Filter controls 44–48

- examples of using 61–67, 67–69

- Level controls 59–60

- Limit Effect controls 69–72

- Saturation control 59–60

- settings in 43–49, 57–60, 70–72

- switching between numeric and visual controls 42

- visual controls 57–60, 69–72

Color Corrector filter 41, 43

- Auto Contrast controls 51–52

- Color Balance controls 49, 50–51

- Copy Filter controls 44–48

- examples of using 52–57, 67–69

- Level controls 51–52

- Limit Effect controls 69–72

- Saturation control 51–52

- settings in 43–52, 70–72

- switching between numeric and visual controls 42

- visual controls 49–52, 69–72

composite mode

- viewing or changing a clip's 153

compositing 143–153

- using external editing applications 149–152

Copy Filter controls 44–48

- keyboard shortcuts for 48

- menu commands for 47

- using with shot-reverse-shot editing 45

“Copy From” rule 46

“Copy To” rule 47

coverage 37

C (VOLUME I)

cables

- analog audio 48
- FireWire 25
- SCSI 37
- serial 42

cache files

- saving to scratch disk 59

calibration

- analog audio 28
- analog video 518, 521
- broadcast monitor 515–517

color 345

color bars 240–246, 515–522

- defined 526
- image settings 240–248
- monitor 515–517
- timecode 250–251, 358, 421

camcorder

- 16:9 Wide button 503, 504
- analog camcorder 29, 47–48

Camera mode 40

- capturing video with 270–272
- connecting video monitor through 27
- device control 39–42, 147, 229, 230
- DV camcorder 25, 40
- Edit to Tape command 358
- FireWire and 40, 42, 147
- insert edits and 351
- logging tapes with 150
- manual use of 39
- preview edits and 351
- Print to Video command 344
- problems with 448, 453, 454
- recording from Timeline 340–342
- serial device control 147
- settings 338
- smooth recording speed 341
- timecode tracks and 349
- VCR mode 40

Camera mode 40, 338, 358

Cancelled option 408

Canvas 74–75

- closing 74
- controls in 74, 88–90
- described 526
- editing in 74–75
- illustrated 68
- opening 74
- sequences and 68
- shortcut menus in 495–497
- tabs in 86
- Timeline and 68, 76

Capture Batch button 223, 265

capture buttons 225

capture cards. *See* video capture cards

Capture Clip button 223, 265, 270–272

Capture column in Browser 168

Capture Format pop-up menu 238

Capture Now button 223, 265, 268–270

Capture option 357

Capture Preset Editor 119–126, 281

capture presets 119–126

- capturing audio only 280–286
- default choices in 105
- described 103, 119
- general settings 120
- QuickTime settings 121–126
- specifying 261
- third-party video cards and 119
- viewing 107

Capture property for a clip 211

capture settings 357, 359

capturing process

- See also* logging process; recording process
- aborting 263

analog capture devices 518

and AppleTalk 53

batch capturing clips. *See* batch captures

Capture Clip button 223, 265, 270–272

capture controls 238–239

Capture Now button 223, 265, 268–270

capturing accurate color 518–522

capturing anamorphic media 504–505

capturing audio 156–157, 455

capturing audio only 280–286

capturing media 223

capturing video 146–152, 265–280, 420–423

capturing video at different data rates

151–152

capturing video for offline editing 151

capturing video with device control 147,

268–272

capturing video without device control 146, 230,

265–267

described 143, 223, 526

dropped frames and 66, 263

DV media 144

exporting EDLs and 420–423

iMovie and 148

keyboard shortcuts for 470

manual video capture 146

multiple video decks 126

presets for 103, 105, 119–126

problems with 455

resolution and 146

setting up for 47–48, 260–264, 420–423

timecode breaks and 263

using non-controllable device 230

CD audio tracks 158, 311–312

CD-ROMs

outputting video to 325

CD-ROM video 325

CD-RW drives 34

- CDs, importing audio from 158, 311–312
- Center Split Slide transition 512
- Center Wipe transition 512
- CG (Character Generator) 527
- Channel Map transition 512
- channels 527
 - audio 428
 - exporting 428
- Character Generator (CG) 527
- Checkerboard Wipe transition 513
- Checker Wipe transition 512
- Choose Setup window 56
- chroma 527
- chroma key 527
- Cinepak 21, 325
- Cinepak codec 325
- Click 385
- clip controls 89
- clip handles. *See* handles
- clip icon 171
- clip In Point field 228
- Clip Name option 427
- clip Out Point field 228
- Clip Overlays button 439
- clips
 - See also* audio clips; digital video clips
 - adding black 345, 346
 - adding black trailers 346
 - adding countdowns 346
 - adjusting settings for log and capture 264
 - alpha channels and 296–297
 - anamorphic media and 507–508
 - batch capturing 150
 - batch exporting 332, 400–411
 - capturing. *See* capturing process
 - changing settings after logging 239
 - changing timecode 19
 - Clip Settings tab 236–240
 - compression 377
 - deleting from projects 181
 - described 18, 162, 527
 - description fields 233–235
 - duration 210, 303
 - exporting as QuickTime movies 332
 - exporting audio from 372–373, 398–400
 - exporting multiple 332
 - extending edit in Timeline 473
 - filters 427
 - format information for 209–210
 - head 529
 - iMovie and 148
 - imported QuickTime clips 293
 - labels for 67, 188–189
 - links to source media 212–218
 - logging 148–150, 256–258, 421
 - logging information for 211
 - marking controls 235–236

- matching audio for 90
- matching video for 90
- motion effects for 73
- names of 233–234, 257, 423, 427
- navigating 89
- offline clips. *See* offline clips
- online clips 150, 224
- organizing 183–189
- outputting to videotape 331
- playing 66, 88
- playing in Timeline 331
- printing 346
- printing to video 331
- properties 207–211
- recapturing 146, 147, 152, 174, 279–280, 318
- reconnecting to media files 212–216
- redoing changes in 96
- renaming 181
- rendering 377, 407, 409
- saving to scratch disk 56, 59
- scrubbing 196–197
- searching for in Browser 201–206
- selecting 178–179
- setting In and Out points for 90
- setting keyframes for 90
- setting markers for 90, 236
- setting up for logging 230–251
- sorting 182–183, 188, 427
- source clips 19, 146, 147
- tail 535
- timing information for 210
- undoing changes in 96
- Clip section of Timing tab 210
- Clip Settings tab 231, 236–240, 264
- Clock Wipe transition 513
- Close Project command 176
- CMX 340 format 231, 417, 422, 424
- CMX 3600 format 417, 422, 424
- CMYK color space 527
- Coalesce Overlapping Clips option 276
- codecs
 - alpha channels and 328
 - Animation 154, 328
 - Apple DV 145, 328
 - Apple M-JPEG 154, 328
 - artifacts and 154, 328
 - CD-ROMs 325
 - Cinepak 325
 - described 145, 322, 333, 372, 527
 - DVDs 324
 - DV-NTSC 114, 145, 328, 377, 407, 409
 - DV-PAL 114, 145, 328, 377, 407, 409
 - image quality and 380
 - JPEG 145, 152, 154, 328
 - lossless 154, 328, 333
 - lossy 145, 333
 - M-JPEG 145, 328, 333

- M-JPEG A 145, 328
- M-JPEG B 145, 328
- MPEG-1 325
- MPEG-2 324
- playback quality and 144
- processor power and 334
- quality and 327
- QuickTime 144, 145, 328, 334
- selecting 383, 391, 400
- Sorenson 325, 326, 380
- target data rate 383, 391
- temporal compression and 383, 391
- third-party 115, 145, 154, 328, 391, 400
- uncompressed items 153, 327, 333, 377
- for video file exchange 153–154
- video quality and 154
- vs. file formats 372
- YCrCb color space support 164
- YUV processing and 165
- color
 - broadcast colors 301, 517
 - capturing accurate color 518–522
 - CMYK 527
 - computer vs. broadcast video 301, 517
 - distorted 301
 - labels 67, 188
 - monitors and 26
 - RGB 533
- color bars 345, 355, 515–522
 - calibrating broadcast monitor 515–517
 - calibrating video signals 240–246
 - defined 527
 - editing to tape and 355
 - Index 547
 - printing to video and 345–346
- Color Bars setting 345, 355
- color calibration 345
- Color Corrector 3-way filter
 - Copy Filter controls 478
- Color Corrector filter
 - Copy Filter controls 478
- color depth 527
- color space
 - CMYK 527
 - RGB 32, 118, 163, 164, 533
 - updating projects and 163, 164–165
 - YCrCb. See YCrCb color space
 - YUV. See YCrCb color space
- Color table option 389
- Column option for searches 202
- columns
 - batch export settings 407–409
 - in Browser 70, 166–171, 192–195
 - customizing 192–195, 200
 - in Export Queue window 407–409
 - hiding 432
 - labels 188–189

- logging columns 167, 200
- showing 432
- standard columns 167, 188, 200
- commands
 - See also specific command names*
 - search commands 202
- Comment Column Headings option 177
- Comment columns 168, 194–195
- Comments 4 setting 427
- Comments fields in Item Properties window 211
- Component RGB 32
- Component video 32, 527
- Component YUV 32
- Composite column in Browser 168
- Composite Mode property 210
- composite signal 31
- composite video 21
- compositing
 - described 527
- compression
 - AIFF files 374
 - audio 374, 380, 385
 - batch 526
 - CD-ROMs 325
 - clips 377
 - defined 527
 - DV clips 377
 - DVDs 324
 - image sequences 329
 - lossless 372
 - quality and 153, 154, 327
 - QuickTime files 371–372, 378–380
 - QuickTime movies 307, 332, 379, 381
 - settings for 376
 - spatial 333, 383, 391
 - streaming Web movies 379
 - temporal 334, 383, 391
 - third-party 375
 - uncompressed items 327, 372
 - Undo command and 377
 - video 333–334
 - video footage 328
 - video tracks 391
 - Web movies 326–327
- Compressor column in Browser 168
- Compressor option 383, 385, 391, 400
- Compressor setting 114, 116, 118, 121, 123
- computer
 - connecting monitor to 27
 - setting up for Final Cut Pro 25–48
- connectors
 - BNC connectors 31, 32
 - FireWire technology and 32
 - Genlock connector 32
 - House Sync connector 32
 - RCA connectors 29, 31
 - SCART connector 33

- S-Video connector 31
- USB-to-serial adapters 29, 44, 45, 46
- video equipment 31–33
- XLR connectors 29
- Contains option for searches 202
- Context Sensitive Help menu item 11
- Controls tab 73
- control tracks 349–350, 351
- Copy command 181
- Copy Filter controls 478
 - keyboard shortcuts for 478
- countdowns 346, 356
- Countdown setting 346, 356
- Create option for reconnecting clips 214, 216
- cropping items
 - video frames 378–379
- Crop tool 480
- cross dissolves 511
- Cross Dissolve transition 511
- cross fades
 - importing and 442
 - linear 442
- Cross Iris transition 512
- cross-platform issues
 - audio formats 329
 - graphics files 329
 - QuickTime and 372, 373
- Cross Stretch transition 512
- Cross Zoom transition 511
- Cube Spin transition 511
- Current Timecode field 353
- Canvas 93
 - Log and Capture window 226
 - Viewer 93
- customizing
 - See *also* preferences; presets
 - Browser display 190–200
 - columns 192–195, 200
 - Easy Setups 135–139
 - label names 188, 189
- Custom option for EDL import 317
- cuts 419
 - described 527
 - jump cuts 530
 - L-cuts 530
 - rough cuts 21, 59
 - cuts-only editing 419
 - cutting items
 - keyboard shortcuts 464
- Cutting Station mode 59, 418

C (VOLUME II)

cache files

- thumbnail cache 543, 554
- waveform cache 554

calibration

- output devices 412

camcorder

- differing sample rates 539–540

Canvas 111–125

- closing sequences in 106
- displaying items in 305
- dragging audio clips to 422
- edit buttons in 125, 240
- editing controls in 123–125
- editing in 239–240
- Edit Overlay 124
- edit points in 230–238, 270–274
- markers in 197–203
- marking controls 117–119
- Match Frame control 117
- media and 108
- navigation controls 113–116
- opening sequences in 106
- playhead controls 113–116
- sequence controls 113–114
- setting In and Out points in 230–238
- split edits in 265–267
- tabs in 112
- timecode fields 121–122
- Timeline and 108, 126
- transport controls 111, 115–116
- two-up display in 305, 333
- view controls 119, 120
- zoom controls 119

Caps Lock key 260

capturing process

- aborting 542
- audio/video files captured separately 554
- dropped frames and 542

Center Split Slide transition 321

Center Wipe transition 322

Ch 1/Ch 2 tabs 416

Channel Map transition 319

Checkerboard Wipe transition 322

Checker Wipe transition 322

Chroma Key transition 320

clip attributes 194–197

clip controls 22–24

clip keyframes 129

Clip Keyframes control 129, 497, 550

clip markers 197

clip overlays 129, 550

Clip Overlays control 129, 437, 472

clips 15–87

- adding markers to 80, 198
- adding to open projects 35
- adding to projects 35

adding transitions to 282–290

adjusting length 307–308

adjusting pan 460–461

adjusting size 51–52

adjusting spread 460–461

adjusting volume 419, 474–477

analyzing 520–522

arranging in storyboard 222–224

audio level of 456–458

backgrounds for 57

backtiming 218–220, 221

boundaries 179–180

breaking links to 523–524, 529–530

Browser/Viewer operations 30–38

changing pan for 459–461, 469–471, 478

controlling speed of 254–256

copying in Timeline 184–186

copying to Browser 181

copying with Match Frame

command 275–276

cutting 343–345, 373–374

described 15

deselecting in Timeline 177

disabling audio/video tracks in 190–191

displaying in Transition Editor 303

displaying in Viewer 47–59

dragging to trim an edit 341–343

editing into sequences 163, 215–216

editing multiple clips 222–224

In and Out points and 215–220

jogging through 42–43

labels for 551–552

links to source media 523–524

locked tracks and 159

logging 9–11

making invisible 190

master clips 32

moving in sequences 341–349

moving markers within 201

moving within Timeline 182–184, 201

moving with timecode 183, 345

opening 15, 35

opening copies of 33

opening for trimming 339–340

opening from Browser 32

opening from Timeline 33

opening in original application 34

opening in Viewer 33–34, 422

opening outside current project 34

organizing in Browser 222–224

pasting 185–187, 343–345

playing 35–37

playing at varying speeds 41–42

recently accessed 34, 297, 538

reconnecting to media files 523–529

reestablishing links 523–529

removing from sequences 276–278

- replacing from In point 250–251
- replacing sections of 252–253
- resizing (duration) 346–349
- scrubbing 40
- selecting 171–177, 331–339
- selecting for trimming 331–339
- setting In and Out points for 60–62, 224
- setting keyframes for 463–464
- shown in Timeline 152–154, 191
- shuttling through 41–42
- sliding 365–368
- slipping 362–365, 386
- sorting 222, 552
- split clips 214, 228
- in Timeline 128, 152–154
- trimming 305–308
- viewing 15, 32–35
- zooming in and out of 48–49
- Clip Visibility command 191
- Clock Wipe transition 322
- color
 - color coding in Timeline 135
 - labels 551
 - in render bar 206, 504
- Command key
 - “gearing down” with 178, 331, 456, 473
 - selecting items with 172
- Comment columns 222
- compression
 - audio 403
 - dynamic range and 490
- compression filters 490–491
- Compressor/Limiter filter 490, 508
- Controls tab 18, 22
- Crop tool 328
- Cross Dissolve transition 318
- cross fades 287, 444, 510, 514
- Cross Fade transition 320
- cross fade transitions 448
- Cross Stretch transition 322
- Cross transition 319
- Cross Zoom transition 318
- Cube Spin transition 318
- Current Timecode field
 - Canvas 122
 - Timeline 130, 150
 - Viewer 29–30, 46, 47
- customizing
 - audio track display 436–438
 - Timeline display 136–141
- cuts
 - audio cuts 439–440
 - described 281
 - vs. transitions 282
- cuts-only editing 281
- cutting items
 - clips 343–345, 373–374
 - dialog 510–513
 - music 514–515
 - in Timeline 373–374
- Cutting Station mode 546, 547

C (VOLUME III)

Canvas

- geometry of clips in 65
- keyframed motion paths 96–107
- motion settings in 62–76
- viewing alpha channels in 24–25
- wireframe handles 67–76
- wireframe views 63–65
- zoom controls 66–67

center handle 65

CenterOf command 220

Center parameter 43

Channel Blur filter 133

ChannelCopy command 229

ChannelFill command 229

channel filters 133

Channel Offset filter 133

CheckBox statement 250

CircleLight command 244

clip1 variable 249

clip2 variable 249

clip data type 218

Clip Keyframes control 60, 97

Clip Overlays control 15

clips

- alpha channels and 20–26
- applying filters to 123–126
- changing parameters 90–96
- compositing 9
- controlling speed of 104–107
- cropping 71–72
- distorting shape of 70–71
- dragging within the Canvas 67–76
- graphical manipulation of 65
- keyframe effects and 90–96
- layering 10–38
- manipulating geometry of 65
- moving 69
- moving between markers 13–14
- nesting 131
- opacity of 91–96
- opening in Viewer 62
- playback speed 155
- rearranging 13–14
- rotating 69–70
- scaling 67–68
- setting up for compositing 12–14
- speed settings 154–155
- transparent clips 14–19

Clip statement 251

codecs

- YCrCb color space support 178

color

- filters 121
- in render bar 161, 191

Color Balance filter 135

color control 121

color data type 218

Color Key filter 137

Color Matte generator 149

ColorOf command 243

Color Offset filter 133

Color parameter 44

color space

RGB 177–179

updating projects and 180

Color statement 251

ColorTransform command 228

Command key

Bezier curves and 89

commands

blit commands 225–226

clip commands 242

composite commands 233–235

distort commands 230–232

external commands 238–239

geometry commands 220–221

key commands 236–237

process commands 227–228

shapes commands 221–223

text commands 241–242

transform commands 224

utility commands 243–245

compositing

described 5, 9

modes for 27–38

settings 27–38

setting up clips for 12–14

YCrCb/RGB color space and 178

Compound Arithmetic filter 133

compression

keying quality and 136

conditional statements 208

contrast 135

Convert2dto3d command 221

Convert3dto2d command 221

ConvertImage command 245

Convolve command 229

Corners parameter 43

Cos function 218

CountTextLines command 240

Crawl generator 151

Crop handles 65

Crop parameter 43

cropping items

clips 71–72

Crop settings 43

Crop tool 65

Curl filter 141

CurveTo command 223

Custom Gradient generator 149

customizing

scripts 207

cuts

rendering and 164
cuts-only editing 164
Cylinder command 230
Cylinder filter 134

D (WHAT'S NEW)

Desaturate Highlights filter 41, 77

example of using 78

settings in 77

Desaturate Lows filter 41, 77

settings in 77

dropped frames 127, 128, 138

See *also* long frames

DV format 7

software real-time effects playback and 13

D (VOLUME I)

data, raw 533

Data Rate column in Browser 168

data rates 333, 377, 383, 407, 409

 analog video equipment 122

 capturing video and 151–152

 defined 527

 offline editing and 151, 152

 QuickTime movies 333

data transfer rates 34

DAT decks 157

DAWs (digital audio workstations) 284, 330, 435, 441

decibels (dB) 527

deck. *See* video deck

decompression 528

Default Number of Tracks field 66

deleting items

 Easy Setups 102, 137

 found items 206

 items in Browser 181

 render files 165

Depth setting for capture 123

Description column in Browser 169

Description field 113, 127, 234

Description in Item Properties window 211

Destination option 408

device control 39–42

 analog devices 29

 audio capture with 157

 camcorders 39–42, 147, 229, 230

 capturing video 226–229, 268–272

 capturing video without 230, 265–267

 checking for 136

 defined 528

DV device control 147

 editing to tape and 81, 357, 359

 FireWire 40, 42–45, 147

 logging clips and 148

 methods 147

 Print to Video command and 337

 protocols for 41

 recapturing clips 174

See also devices

 serial device control 147, 248

 serial devices 39, 40–41, 44–45

 settings 359

 status messages 249

 verifying setup of 248–249

 Index 549

 video capture with 146, 147

 video capture without 146

 video deck 39–42, 147, 229, 230, 270

Device Control Preset Editor 127–130

device control presets 126–130

 choosing 261

 default choices in 105

 described 103, 126

 viewing 107

devices

See also analog devices; device control;

video

 audio devices 28

 connections 338

 DV 351

 Easy Setup for 56–59

 external monitors and 339

 FireWire. *See* FireWire

 mini DV device 339

 non-controllable 39, 230

 Print to Video settings 338

 protocols supported 41

 scripts for 448, 453

 SCSI 37–38

 settings 357, 359

 status of 353

Device setting for capture presets 122, 125

Device Settings tab 352, 357

dialog

 editing 22

dialog tracks 442

Diamond Iris transition 512

digital audio workstations (DAWs) 284, 330, 435, 441

Digital Betacam format 18, 322

digital CRT transfer 324

digital data 528

digital laser transfer 324

digital media 33–38

See also media

 digital video

See also analog video; video

 aspect ratio 499

 color calibration and 518

 described 18, 528

 duplication of 18

 formats 18

 output to 322

 quality of 18

 transfer rate 34

 digital video clips

See also clips

 data rates 152

 fuzzy 453

digital video devices

 assemble edits and 351

 FireWire connection 42–43

 monitoring audio from 28

digital video system

 FireWire device control 42–45

 serial device control 44–45

 setting up 25, 42–45

Digitizer setting for capture presets 121, 124

digitizing 528

- disk arrays 34, 38
- disk drive. *See* hard disk
- dissolves 419, 427
- Distort tool 481
- distribution 321–334
 - See also* exporting items
 - described 21
 - file formats for 373–375
 - options for 79, 81, 321–330
 - outputting QuickTime files 332
 - outputting to videotape 331
 - theatrical 323–324
 - video compression 333–334
 - documentary-style projects 253
- Done option 408
- DOS file format 430
- double-byte characters 163, 183, 316, 417
- drives
 - EDLs and 417
- drives, removable media 34
 - See also* hard disk
- Drop Frame option 66, 92, 317, 428
- drop frames
 - EDLs 419
 - timecode 428
- drop frame timecode 66, 91–92, 528
 - 550 Index
- dropped frames 339, 359
 - A/V sync and 449–452
 - aborting capture on 66
 - capture and 263
 - EDLs and 419
 - memory and 449
 - reporting 66, 263
 - duration
 - clips 303
 - defined 528
 - elements 344
 - still images 302–303
- Duration Calculator 81, 344, 356
- Duration column in Browser 169
- Duration property 210
- DV (digital video)
 - See also* analog video; video
 - aspect ratio 499
 - color bars and 345
 - color calibration and 518
 - described 18, 528
 - duplication of 18
 - formats 18
 - output to 322
 - quality of 18
 - transfer rate 34
- DVCam
 - sample rates 400
- DV camcorder 25, 40, 322
- DV-CAM format 144
- DV clips
 - See also* clips
 - compression and 377
 - data rates 152
 - fuzzy 453
 - rendering and 377, 407, 409
- DV codec 152
- DVCPro
 - sample rates 400
- DVD audio 324
- DV deck 322
- DV devices
 - assemble editing and 351
 - assemble edits and 351
 - Edit to Tape operations and 351
 - FireWire connection 42–43
 - mini 339
 - monitoring audio from 28
- DVDs
 - compression 324
 - described 324, 528
 - outputting video to 324
 - playback 324
- DV format 18, 21, 322
- DV-NTSC codec 114, 145, 328, 377, 407, 409
- DV-PAL codec 114, 145, 328, 377, 407, 409
- DV Stream files 148, 373
- DV stream files 329, 393–394
- DV Stream format 373
- DV system
 - FireWire device control 42–45
 - serial device control 44–45
 - setting up 25, 42–45
- DV timecode 339
- DV Time option 128
- DV-to-analog converter box 44, 45
- DV-to-analog convertor box 322
- DV videotape 322
- dynamic mixing 439

D (VOLUME II)

- DC Notch filter 508
- decibels (dB) 408–413
- Default Number of Tracks field 137, 550
- Delete Tracks dialog box 157
- deleting items
 - audio transitions 450
 - clips or parts of clips in a
 - sequence 277–278, 360–361
 - edit points 434
 - In and Out points 67
 - keyframes 466–467, 473, 503
 - markers 81, 200
 - render files 160, 531–532
 - scratch disks 555
 - sequences from projects 105
 - split edits 270
 - static regions 149
 - in Timeline 191–193
 - tracks from sequences 156–157
 - transitions 292
 - volume keyframes 475
- devices
 - calibrating 411
- dialog
 - from different takes 513
 - editing 454
 - off-camera 512
 - stereo and 472
 - tips for cutting 510–513
- dialog tracks 515
- Diamond transition 319
- digital video
 - playback quality 38–39, 109–110
- digital video clips
 - creating subclips with 85–87
- Dip to Color transition 318
- dissolve transitions 281, 313, 318–319
- Distort tool 328
- Dither Dissolve transition 318
- drag-and-drop editing 230, 261–262
- dragging items
 - clips 341–343
 - Option key and 185
 - sequences 108
- Drag hand 420
- drag handle 298
- Drop Frame option 137, 548
- drop frame timecode 43–44, 548, 564
- Index
- dropped frames
 - aborting capture on 542
 - during playback 541
 - mixdown audio and 481–482
 - number of tracks and 479
 - reporting 541
 - duration
 - audio transition 450
 - audio transitions 448
 - clips 61
 - gaps 377
 - imported images 542
 - markers 84, 202–203
 - modifying for audio transitions 448
 - still images 542
 - transitions 282, 293–294, 297, 306, 448
- Duration field in Transition Editor 297
- DV (digital video)
 - playback quality 38–39, 109–110
- DV clips
 - creating subclips with 85–87
- dynamic range 404
 - compression and 490
 - controlling 409–410
 - described 404
 - determining 452
 - for Internet media 452

D (VOLUME III)

- Darken command 234
- Darken compositing mode 35
- definition statement 208
- De-Interlace filter 143
- deleting items
 - keyframes 86, 101
 - render files 181, 183, 184
- Desaturate command 229
- Desaturate filter 135
- dest variable 249
- Difference command 234
- Difference compositing mode 32
- Difference Matte filter 137
- Diffuse command 227
- Diffuse filter 142
- DiffuseOffset command 227
- DimensionsOf command 220
- Displace command 232
- Displace filter 134
- distort filters 134
- distorting clips 70–71
- Distort settings 43
- Distort tool 65
- DistTo command 220
- dragging items
 - clips 67–76
- DrawSoftDot command 222
- DrawString command 241
- DrawStringPlain command 241
- Drop Shadow parameter 44
- Drop Shadow settings 44
- duration variable 249

E (WHAT'S NEW)

- Excess Chroma option 27, 52, 60
- external editing applications 149–152
 - clearing 151
 - opening a clip in 151
 - specifying 150
- External Editors tab 149, 150

E (VOLUME I)

Easy Setup

customized 338, 359

External Video settings 338, 358

Easy Setups

See *also* presets; settings

accessing 63

changing 101

customizing to fit your needs 57, 102, 135–139

described 56, 57, 99–100

earlier versions of Final Cut Pro and 57

locked 110

making unavailable 102

removing 102, 137

restoring original 102

selecting different presets in 104–105

selecting initial Easy Setup 56, 58–59, 100

working with 100–103

Easy Setup window 63

EBR (Electronic Beam Recording) 324

Edge Wipe transition 513

Edit buttons 353

edit buttons 75

edit controllers 426

Edit Decision Lists. See EDLs

editing

See *also* trimming

anamorphic media 505–508

assemble editing 349, 350, 351, 362–365

audio editing 27

basics 22

canceling edits 365, 368

in Canvas 74–75

considerations 22

cuts-only editing 419

described 21, 528

dialog 22

Edit Overlay 75, 82

EDL export and 423–426

fit to fill editing. See fit to fill editing

insert editing 350, 351, 365–368

insert editing. See insert editing

keyboard shortcuts for 473–474

linear editing 19, 530

logging clips and 149

match frame editing 531

nondestructive editing 19

nonlinear editing 19, 531

offline editing 19–20, 151, 152, 415, 532

online editing 19–20, 151, 415

overview of 415

overwrite editing. See overwrite editing

presets 109

preview editing 351

replace editing. See replace editing

ripple editing. See ripple editing

roll editing. See roll editing

rough editing 534

split editing. See split editing

streamlining EDL exports 423–425

superimpose editing. See superimpose editing

to tape 331, 349–368

three-point editing 535

with transitions 419–420

trimming. See trimming

types of 74

user mode and 59

to videotape 331, 349–368

Editing mode 353, 363, 364, 367

editing systems

DOS file format 430

nonlinear 416

Editing Timebase setting 114

Edit Overlay 75, 82, 353

edit points

See *also* In and Out points

AIFF files and 436

Edit Render Qualities option 177

edits

adding production elements 367

cuts only 419

insert 331

previewing 368

split 420

with transitions 420

Edit Selection tool 479

Edit to Tape command 331, 349–368, 452

control track breaks and 349

described 331

tracks and 349

Edit to Tape operations 350–351

assemble editing 350, 362–365

described 528

device control and 81, 357, 359

DV devices and 351

insert editing 351, 365–368

outputting material 350–351

preview editing 351

problems with 452

requirements 351

setting up for 358–361

Edit to Tape window 81, 88, 349, 352–354

EDL Access application 430

EDL Notes setting 427

EDLs (Edit Decision Lists)

audio tracks 424

audio tracks and 424

described 315, 330, 415, 416–417, 435–436, 528

disadvantages 436

double-byte characters and 163

editing and 423–425

- effects and 418
- errors during export 429
- exporting 330, 423, 426–429
- exporting audio tracks as 285–286, 435–436
- exporting sequences as 418, 418, 426–429
- export settings 426–429
- export transition codes 511–513
- formats 417, 424, 426
- importing 315–318
- improving 420–425
- information in 418–420
- limitations 316
- multiple 436
- nested sequences 425
- nested sequences and 425
- notes 420, 423, 427
- number of edits 424
- offline editing and 20
- OMF files and 441
- opening 429
- overview 416–420
- recapturing clips from 318
- reviewing 429
- RT-11 disk access 430
- sound quality and 436
- speed settings and 425
- still frames and 425
- streamlining exports 425
- timecode and 149, 286, 436
- titles 419, 426
- tracks and 424
- transitions 417, 424, 425, 427
- uses for 330
- vs. batch capture lists 416
- EDL Title setting 426
- effects
 - described 21
 - EDLs and 418
 - favorites 528
 - keyboard shortcuts for 475–476
 - real-time effects 533
- Effects tab
 - described 70
- Electronic Beam Recording (EBR) 324
- elements
 - adding to edits 367
 - duration of 344
 - layout conventions 346
 - leader 345
 - media 346
 - selecting for print to video 344
- elements for outputting to tape
 - leader 345–346, 355–356
 - media 346, 356
 - timing of 346, 357
- encoding
 - options for 387

- End property for a clip 211
- equipment. See video equipment
- error messages
 - exporting EDLs 429
 - “No shortcut” 407
- error messages. See messages
- Error option 408
- event number 419
- Every Frame option 342
- Existing sequence presets option 408
- Export Final Cut Movie command 327, 332
- Export Final Cut Pro command 377
- Export Final Cut Pro Movie command 327, 371, 373, 375–377
- exporting items
 - See *also* distribution
 - anamorphic video to QuickTime 510
 - anamorphic video to tape 509
 - audio 284–286, 435–444
 - audio only 372–373, 398–400
 - audio tracks 329
 - audio tracks as AIFF files 436–441
 - audio tracks as EDLs 435–436
 - AVI QuickTime files 389–392
 - batch capture lists 431, 432
 - batch exports 332, 400–411
 - channels 428
 - clips 332
 - DV Stream files 393–394
 - DV stream QuickTime files 393–394
 - EDLs 330, 423, 426–429, 511–513
 - files from Final Cut Pro 431
 - Final Cut Pro movies 332, 375–377
 - FLC QuickTime files 388–389
 - image sequences 372, 394–396
 - numbered image sequences 394–396
 - OMF audio files 284–285, 330, 441–444
 - QuickTime files 324, 377–394
 - QuickTime movies 332, 381–387
 - reference movies 375
 - sequences 332
 - sequences as batch lists 432
 - sequences as EDLs 418, 418, 426–429
 - sequences as QuickTime clips 324
 - sequences as QuickTime movies 375–377
 - still images 372, 396–398
 - streamlining EDL exports 425
 - target tracks 427
 - video tracks 427
- Export Queue 410, 411
- Export Queue tab 400, 401, 402
- Export Queue window 403–411
- Export QuickTime command 327, 372, 373, 377
- Export QuickTime Movie command 332
- Extend Edit command 473
- extensions 406, 409
- extensions, file 405, 409

- extensions, third-party 54
- external speakers 27
- external video
 - editing to tape and 358–359
 - enabling 27
 - recording to videotape and 338–339
 - settings 130–134
 - video monitor and 27
- External Video settings 338, 358
- External Video tab 130, 131–133

E (VOLUME II)

- Echo filter 493–494, 508
- Edge Wipe transition 322
- edit buttons 240
- editing
 - advanced techniques 327–396
 - audio editing 400, 430–436
 - basics 7–12, 211–278
 - canceling 370, 385
 - in Canvas 123–125, 239–240
 - changing simple edit to split edit 267–268
 - clips into sequences 163, 215–216
 - Command key for “gearing down” 178, 456
 - controls for, Canvas 123–125
 - described 7
 - designating target tracks 161–162
 - drag-and-drop editing 230, 261–262
 - with edit buttons 240
 - Edit Overlay 124, 239
 - extend editing 353–354
 - in Final Cut Pro 213–221
 - insert with transition editing 214, 242–244
 - keyboard shortcuts for 240
 - lift delete 191–192, 277–278, 359
 - logging clips and 9, 10–11
 - match frame editing 275–276
 - methods for 238
 - multiple clips 222–224
 - overwrite with transition editing 123, 213, 246–248, 283
 - performing 238–274
 - resize editing 306, 346–349
 - rough editing 11
 - setting up for 222–238
 - slip editing 67, 485–486
 - strategies for 10–12
 - swap editing 368–370
 - three-point editing 215–221
 - in Timeline 131–135, 259–262, 439–444
 - types of 123–124, 213–214
 - typical editing operation 8
- Edit Marker dialog box 81, 84, 200
- Edit Overlay 124, 239
- edit points
 - audio edit points 431–434
 - audio transitions 449–450
 - changing 292
 - copying transitions between 292
 - guidelines for 221
 - moving playhead to 151, 233
 - moving split edit points 433–434
 - navigating between 68
 - not setting 221, 231
 - removing 434
 - reviewing 62

- selecting for trimming 334–335, 336
- setting 59–71, 230–238
- slipping 433
- split edit points 268–270, 432, 433
- transitions and 284–285, 291
- Edit Selection tool 169, 170, 328, 332
- effects
 - clip duplication and 184
 - editing process and 12
 - rendering 505
 - settings 20
 - sound effects 513
- effects filters 493–494
- Effects menu
 - adding audio transitions 288, 445
 - adding transitions from 287–288
 - adding video transitions 288
- Effects tab
 - adding audio transitions 447
 - adding transitions from 289
 - creating favorite transitions 310–311
- End slider for transitions 299
- equalization (EQ) filters 488–489
- Expander/Noise Gate filter 509
- expansion filters 491
- Explode transition 320
- extend editing 353–354
- external video
 - audio/video sync with 39, 110, 387–396
 - enabling 39

E (VOLUME III)

- Ease In/Ease Out command 107
- Edge Feather parameter 43
- editing
 - cuts-only editing 164
 - real-time editing 189–191
- EDLs (Edit Decision Lists)
 - superimposed video and 11, 19
- EffectID statement 253
- effects
 - adjusting with keyframes 10
 - animating with keyframes 76–109
 - applying to sequences 202
 - categories 5–6
 - FXBuilder and 199
 - modifying with scripts 199
 - motion effects 41–76
 - overview 5–6
 - previewing 170
 - real-time effects 164, 176, 189–191
- Effects menu
 - real-time effects 190
- Effects tab
 - real-time effects 190
- Emboss filter 142
- encoding scripts 203
- Exit For statement 256
- Exit Repeat statement 256
- Exp function 219
- exporting items
 - FXBuilder scripts as text 203–204
 - scripts 203–204
- exposedBackground variable 249
- Extract filter 139

F (WHAT'S NEW)

- Final Cut Pro
 - using with Mac OS X 155–162
- Flesh Tone line 33
- flesh tones 16, 33
- Flicker Filter 144
- frame rates 125

F (VOLUME I)

- Fast Forward button 227, 354
- Fast Start - Compressed Header option 386
- Fast Start movie setting 326
- Fast Start option 386
- favorites
 - defined 528
- Favorites bin 70
- field dominance 294–295
- Field Dominance setting 114, 209, 294, 295
- fields in Final Cut Pro
 - See also specific fields*
 - clip descriptions 233–235
 - Comments fields 211
 - Label fields 211
 - timecode fields 93
- fields of a video image 529
- file formats
 - AIFF 399
 - analog 17
 - audio 21, 157, 290, 374
 - Beta SP 17
 - BMP 21
 - Cinepak 21
 - composite video 21
 - described 372
 - Digital Betacam 18
 - digital video 18, 21
 - distribution 373–375
 - EDLs 417
 - exporting in QuickTime 380
 - graphics 21, 290
 - Hi-8 17
 - images 21, 290, 374–375
 - for importing 290
 - JPEG 21
 - MacPaint 21
 - Motion JPEG 21, 114
 - NTSC 21
 - PAL 21
 - Photo JPEG 21, 114
 - Photoshop 21
 - PICT 21
 - PNG 21
 - QuickTime Image 21
 - SDI 21, 33
 - SGI 21
 - Sorenson 21, 325
 - special 290
 - supported 21, 290
 - TARGA 21
 - TIFF 21
 - VHS 17
 - video 17–18, 144–145, 290, 373
 - vs. codecs 372
 - WAVE 399
 - YCrCB 32

- YUV 32
- files
 - See *also* QuickTime files
 - Adobe Photoshop files 155, 307
 - AIFF files 21, 329, 436–441
 - audio files. See audio files
 - autosave files 175
 - AVI files 389–392
 - backing up 174
 - cache files 56, 59
 - DV Stream files 148, 329, 373, 393–394
 - exported from Final Cut Pro 431
 - extensions for 405
 - FLC files 388–389
 - importing 291–293
 - MP3 audio files 308
 - naming 253–254
 - OMF files 284–285, 330
 - QDesign audio files 308
 - QuickTime files. See QuickTime files
 - reducing size 385
 - render files. See render files
 - size of 378
 - Targa 375
 - Targa files 375
 - Wave files 21, 329
- File Size property of a clip 209
- film, transferring video to 323–324
- film transfer facilities 323
- filters
 - See *also specific filter names*
 - After Effects filters 164
 - audio. See audio filters
 - clips 427
 - described 529
 - EDLs and 417
 - QuickTime 384
 - QuickTime filters 384
 - settings for 72
 - video. See video filters
 - YCrCb color space and 164
- Filter setting for capture presets 124
- Filters option 383, 427
- Filters tab 72
- Final Cut Pro
 - acquisition strategies 143–158
 - distribution options 321–330
 - documentation for 9
 - earlier versions of 163–165
 - final distribution 321–334
 - formats supported 21
 - Help menu 10–11
 - initial setup 56–59
 - installing 53–56
 - interface 63–96
 - late-breaking news 10, 25
 - media used in 143
 - memory allocated to 54–56, 456
 - performance 54, 454
 - setting up system for 25–48
 - system requirements 25
 - tutorials for 10, 59
 - version number 456
 - video creation process 20–21
 - Web site for 11, 21
- Final Cut Pro CD 111
- Final Cut Pro tutorials 59
- Find Again command 214, 216
- Find All command 202, 204
- Find command 201, 203, 204, 278
- Find dialog box 201–204
- finding items
 - for batch capture 278
 - in Browser 201–206
 - commands for 202
 - keyboard shortcuts for 466
 - options 201–202
 - Search option 202
- Find Next command 202, 203
- Find Results window 204, 204–206
- FireWire
 - analog equipment and 40
 - cables for 25
 - calibration 521
 - camcorders 40, 42, 147
 - codecs for 145
 - connectors for 32
 - described 32, 40, 529
 - device control 40, 42–45, 147
 - interface 25
 - ports for 25, 27, 42
 - Protocol setting for 127
 - versions of 40
 - video capture and 29
 - video decks 40, 42, 147
 - Web site for 13, 40
- FireWire devices 328
- fit to fill editing
 - described 529
- flattening audio 439
- FLC format 373, 388–389
 - described 373
 - exporting QuickTime files in 388–389
- FLC QuickTime files 388–389
- flesh tones 246
- FLIC format. See FLC format
- floppy disks 430
- folders
 - See *also* bins
 - EDLs and 417
 - importing 290, 291–293
 - naming 163
- fonts 301
- footage

- animation and 328
- compression and 153, 328
- Forget Movie button 213
- Forget Render button 213
- Format option 395, 398, 408, 426
- formats. *See* file formats
- Format setting 124
- Format tab 209–210
- For option 202
- Forward option 342
- FPS (Frames per second) setting for capture presets 121
- fragmentation 450
- frame rate 379
- frame rates 379, 383, 391
- Frame Rate setting for device control 128
- frames
 - black 346
 - cropping 379
 - defined 529
 - drop 419, 428
 - dropped 339, 359
 - dropped. *See* dropped frames
 - freeze frames 341, 342, 344
 - playing back 342
 - poster frames 194, 198–199
 - size of 378, 385
 - size of. *See* frame size
 - still 425
 - still frames 425
- frame size
 - choosing 378–379
 - imported graphics and 299, 302
 - QuickTime and 385
 - sequence presets 113
- Frame Size column in Browser 169
- Frame Size settings 113, 120
- Frames per second option 116, 124, 383, 389, 391, 395, 398
- freeze frames 341, 342, 344
- FXBuilder
 - See also* scripts
- FXScript
 - See also specific FXScript commands*

F (VOLUME II)

Fade In, Fade Out transition 318

fade-to-black transitions 289

favorites 309–313

- audio filters 498–499

- audio transition 450

- creating 310–311

- organizing 312–313

- renaming 312, 451

- transitions 309–313

Favorites bin 309

fields in Final Cut Pro

- timecode fields 17, 29–30, 121–122

files

- autosave files 543

- cache files 543, 554

- offline files 529–530

- saving 543

Filmstrip display setting 138

filmstrip icon 226

filter bar 129, 139, 549

filter category bars 499

filters

- applying to audio clips 494–496

- changing order of 498

- compression filters 490–491

- copying/pasting between clips 496

- displaying in Timeline 497

- effects filters 493–494

- enabling/disabling 498

- equalization (EQ) filters 488–489

- expansion filters 491

- favorite filters 498–499

- noise reduction filters 491–492

- removing from clips 498

- settings for 20

- stereo pairs and 487

- viewing in Viewer 497

Filters option 496

Filters tab 18, 20

Final Cut Pro

- transitions included with 318–323

Find command 204, 532

finding items

- media files 532

- offline clips 526

- in sequences 204–205

- timecode 204–205

- in Timeline 203–205

Find Next command 205

Fit All command 51–52

Fit All setting 120

fit to fill editing

- described 214

- edit points and 221

- performing 254–256

- speed settings and 254–256

Fit to Window setting 51, 119

folders

- specifying as scratch disk 553

footage

- eliminating 77–78

- logging in advance 9, 11

- master clips and 77–78

- subclips and 77–78

- unused 77–78

Forget Movie button 528

Forget Render button 528

frames

- closeup view of 298

- freeze frames 542

- moving one frame at a time 43

- moving playhead to 80

- overlapping 284–285

- playing all 37

- poster frames 75–76

frame size

- for video 94

freeze frames 542

F (VOLUME III)

false constant 246

favorites

- motion effects 108–109

- video filters 130

FillArc command 223

FillOval command 222

FillPoly command 222

FillRegion command 222

filter bar 60–62

filter category bars 117

Filter command 238

filters

- After Effects filters 144

- color control 121

- controls for 119–122

- described 6

- favorite filters 130

- parameter controls 117

- start and end points 117

Filters tab 117–118, 128

Filter statement 252

Find Edges filter 142

FindString command 240

Fisheye command 230

Fisheye filter 134

Fit All command 66

fit to fill editing

- speed settings and 155

Fit to Window setting 66

float data type 217

Flop filter 141

FontList statement 251

fonts 122, 151–153

For/Next statement 256

fps variable 249

FrameArc command 223

FrameOval command 223

FramePoly command 222

FrameRegion command 222

frames

- blending 154

frame variable 249

FullFrame statement 253

FXBuilder 195–211

- described 195, 197

- interface 197–198

- menu commands 198

- undoing actions 197

- using 197–205

- video effects and 199

FXBuilder Input Controls tab 198, 200–202

FXBuilder Text Entry tab 198, 199–200

FXBuilder window 197, 197–198

FXScript 215–257

- arrays 211

- blit commands 225–226

clip commands 242

command overview 208–211

comments 211

composite commands 233–235

constants 210, 246–249

custom filters 122

data types 210, 217–218

distort commands 230–232

expressions 211, 215–217

external commands 238–239

functions 211, 218–219

geometry commands 220–221

key commands 236–237

loops 209

operators 211, 215–217

parameters 215

process commands 227–228

shapes commands 221–223

statements 208, 250–257

string commands 240

subroutines 209

text commands 241–242

transform commands 224

utility commands 243–245

variables 210, 249–250

NO “G” IN WHAT’S NEW

G (VOLUME I)

gain

- adjusting 247–248

- defined 529

gain controls 237

Gain slider 126, 237, 247–248

gamma 529

general preferences 65

General tab 65

generational loss 18

Generator pop-up menu 340

generators

- See *also* video generators

- described 529

- settings for 73

- YCrCb color space and 164

Genlock connector 32

glossary 525–536

Good column in Browser 169, 205

Go to In button 354

Go to In Point button 228

Go to Out Point button 228

Gradient Wipe transition 513

graphics

- See *also* images

- broadcast video and 301

- computer vs. video 301

- distorted 298–300

- file formats 290, 329

- formats 329

- line art 301

- pixels and 298–300

- scaling 302

- video output and 298–300

Group Selection tool 479

GVG 4 Plus format 231, 417, 422, 424

G (VOLUME II)

gaps 187–190

- closing 376

- duration of 377

- editing clips into 216–218

- filling 511

- finding 375

- track gaps 187, 375, 376

- types of 374–375

- while editing 374–377

general preferences 535, 537–543

General tab 93–95, 537–543

Generator pop-up menu 17, 27

generators

- described 16

- settings for 22

Gradient Wipe transition 320, 322

graphics

- action/title safe boundaries and 58–59

- pixels and 53–54

Group Selection tool 169, 170, 172, 328,
332

G (VOLUME III)

Gamma Correction filter 135

Gaussian Blur filter 132

Generator command 239

generators

- adding 147

- described 6

- keyframing generators 147

- real-time generators 148

- titling generators 151–153

- using 148–153

Generator statement 252

GetConversionMatrix command 245

GetLimits command 242

GetPixelFormat command 245

GetReelName command 242

GetTimeCode command 242

GetVideo command 242

Gradient generator 149

graphical generators 148–150

graphics

- for animation 110

- compositing 9

- resolution 10, 109–111

graphics clips 20–26

GreenScreen command 236

Grid command 220

Group statement 252

H (WHAT'S NEW)

high definition video 125
Histogram 29, 34–35
hue 23

Hinted Streaming option for export 386
House Sync connector 32
HTML pages 326
 Fast Start movies 326
hue 529

H (VOLUME I)

Handle Length options 443
handles
 adding to audio clips 443
 audio clips 438
 Bezier handles 526
 defined 529
 described 443
 exporting and 443
 options for 443
Handle Size field 129, 317
Hand tool 480
hard disk 37
 See *also* scratch disks
 data transfer rates 34–37
 digital media storage 33–38
 external 34
 internal 34, 36
 multiple disks 33
 naming 163
 RAID system 38
 saving space on 20, 83
 SCSI disk drives 37
 seek time 35, 36
 space required 26, 35, 146, 151
 spindle speed 35, 36
 Ultra2 LVD SCSI disks 37, 38
 Ultra ATA disk drives 36
hardware
 See *also* hard disk; video equipment
 for color calibration 519
 considerations 25–30
 Easy Setup for 56–59
 requirements for 25
 setting up 42–48
 video capture cards 17
Hardware Settings folder 102
head clips 529
Help Cursor menu item 11
help features 10–11, 447
Help menu 10–11
Hi-8 format 17
hiding items
 columns 432
 columns in Browser 192
 thumbnails 194
hinted QuickTime files 326, 386
Hinted Streaming option 326, 386–387

H (VOLUME II)

handles
 clip handles 298
 drag handle 298
Hand tool 50, 328
headphones 453
headroom 407, 410, 452
hiding items
 overlays 71
 tracks 159–161
High Pass filter 509
High Quality Playback option 39
High Shelf filter 509
Hum Remover filter 491–492, 509

H (VOLUME III)

handles
 Bezier handles 102–103
 center handle 65
 crop handles 65
 rotational handle 65
 scale/distort handles 65
 wireframe handles 67–76
Hard Light compositing mode 34
Highlight command 244
Highlight generator 149

I (WHAT'S NEW)

interlaced video 125

interlacing 144

I (VOLUME I)

i.LINK. See FireWire

icons

audio clip icon 171

audio filter icon 172

audio transition icon 172

bin icon 171

clip icon 171

locked bin icon 171

marker icon 172

offline clip icon 171

sequence icon 171

subclip icon 172

video filter icon 172

video generator icon 172

video transition icon 171

icon view 166, 190, 191, 195–198

IEEE 1394. See FireWire

image controls for capture 237

images

See *also* graphics

calibrating 240–248

codecs and 380

file formats 21, 374–375

importing 155–156

pixels and 298–300

quality of 378, 380

still 372

still. See still images

image sequences 304, 329, 372, 394–396

iMovies 148

DV stream files 329, 373, 393

Import For option 317

importing items 289–312

AIFF files 441

audio 157, 309–312

batch lists 150, 223, 259

CD audio tracks 158, 311–312

clips with alpha channels 296–297

cross fades and 442

described 143, 530

EDLs 315–318

field dominance and 294–295

file formats for 290

files 291–293

folders 290, 291–293

graphics and 302

image files 155–156

layered Photoshop files 307

media files into Final Cut Pro 290–293

numbered image sequences 155, 304–307

Photoshop files 155, 307

prerecorded audio 157

QuickTime files 153–154, 293–297

sequences 155–156

still images 298–308

In and Out points

- See *also* edit points
- controls for 90
- cuts only edits 419
- EDLs and 416
- exporting image sequences 394
- keyboard shortcuts for 471
- printing clips 346
- printing sequences 346
- printing to video 343
- recapturing clips and 146
- serial device control and 39
- setting 363, 366
- setting for clips 90
- setting in Viewer 90
- split edits 420
- Include option 408
- In column in Browser 169
- In points
 - creating sync beeps 437–438
 - defined 530
 - including extra audio 438
 - playing sequences from 342
 - setting 363, 367
- In property 210
- Input setting 121, 123, 124, 125
- In Selected Sequences option for searches 202
- Insert edit button 368
- insert editing 350, 351, 365–368
 - described 351, 530
 - performing 365–368
 - previewing 351
 - video reference signals and 351
- insert edits 331
- Insert Settings tab 355–357
- Inset Wipe transition 513
- installing items
 - Final Cut Pro 53–56
 - presets 111
 - QuickTime 51
 - third-party software 60
 - tutorial files 60
- interlaced video 294, 295, 530
- Internet
 - See *also* Web
 - audio output and 386, 392, 400
 - streaming QuickTime files over 386–387
 - streaming video over 386–387
- In to Out option 342
- invisible tracks 530
- IRIX operating system 375
- Item Properties window
 - changing clip properties 208–211
 - described 208
 - viewing clip properties 208–211
- items
 - deleting from projects 181
 - deleting in Browser 181
 - displaying in Browser 191
 - moving 186
 - searching for in Browser 201–206
 - selecting in Browser 178–179
 - sorting in Browser 182–183
- Item Settings option 408

I (VOLUME II)

icons

- filmstrip icon 226
- speaker icon 226

icon view 222–224

images

- magnified 50
- pixels and 53–54
- zooming in and out of 49

Implode transition 320

importing items

- audio 413–414
- image files 542

In and Out point overlays 69

In and Out points

- changing location of 66–67
- clearing 67, 225, 238
- editing clips and 219–220
- extending on subclips 75
- marking 60, 62, 224–225
- moving for split edits 268
- moving playhead to 68, 233, 234
- playing clips between 36–37
- removing 67
- replace edits and 248–249
- ripple edits 307–308
- selecting clips 173–174
- setting for clips 60–62, 224
- setting in Canvas 230–238
- setting in Timeline 230–238
- setting in Viewer 224
- slipping 67
- working with in Viewer 60–71

In points

- moving playhead to 68, 233, 235
- setting for audio/video 432

insert editing

- described 123, 213
- dragging clips 341–343
- pasting items as 186
- performing 240–242, 259–260, 341–349
- in Timeline 259

Insert Tracks dialog box 155–156

insert with transition editing 214, 242–244

Inset Wipe transition 322

In Shift indicator 381

Insufficient content for edit message 340

Internet

- dynamic range and 452

invisible tracks 132, 159–161

iris transitions 319, 320

Item Properties window 205

- opening in Timeline 205

items

- copying in Timeline 184–186
- deleting in Timeline 191–193
- deselecting 177

linking in Timeline 166–168

modifying properties 205

moving in Timeline 182–184, 201

moving with timecode 183–184

searching for in Timeline 203–205

selecting in Timeline 168–177

viewing properties 205

working with in Timeline 163–203

I (VOLUME III)

If/Else statement 255

Image+Wireframe mode 63

ImageAnd command 235

image control filters 135–136

image data type 217

Image Mask filter 139

Image mode 63

ImageOr command 235

images

- resolution 109–111

Image Stabilizer filter 143

ImageXor command 235

InformationFlag statement 254

input statements 209

installing items

- After Effects filters 144
- scripts 204–205

Integer function 219

Interpolate command 220

InvalidEntireItem statement 253

InvertChannel command 235

Invert command 235

Invert filter 133

invisible tracks 185

Item Properties window

- changing alpha channels 22

J (WHAT'S NEW)

Join Through Edit command 142

J (VOLUME I)

Jaws Wipe transition 513

Jaz drives 34

Jog control 354

jog control

- Canvas 89

- described 530

- device control 228

- Viewer 89

JPEG codec 145, 152, 154, 328

JPEG format 21, 155, 374

jump cuts 530

JVC RS-232 protocol 42

J (VOLUME II)

Jaws Wipe transition 322

jog control

- jogging through clips 42–43

- jogging through sequences 152

- moving frame at a time 42

- Viewer 16, 23, 42–43

jumping playhead 150

NO “J” in Volume 3

K (WHAT'S NEW)

keyboard shortcuts

- Copy Filter controls 48

- moving between clips 40

K (VOLUME I)

keyboard shortcuts 457–483

- See *also* shortcut menus

- application windows 463–464

- Browser 468, 482

- capturing functions 470

- clip controls 89

- Copy Filter controls 478

- copying items 464

- cutting items 464

- described 84

- editing functions 473–474

- effects functions 475–476

- finding items 466

- general controls 462–463

- In and Out points 471

- listed by function 11, 462–463

- listed by key 11, 457–483

- logging functions 258, 470, 483

- markers 472

- marking controls 90

- modifier keys 479–483

- moving between clips 477

- navigation 465–466, 479

- output functions 475

- pasting items 464

- playback controls 88

- playhead controls 89

- playing video 470

- projects 467

- screen layout 467

- scrolling functions 466

- selecting items 464

- sequence controls 89

- sequences 467

- Timeline 469

- for tools 479–482

- transport controls 88

- Viewer 482

Keyboard Shortcuts menu item 11

key edits 419

keyframe buttons 72

keyframe controls 90

Key frame every _frames option 117, 124

Key frame every X frames option 383, 391

keyframes

- compression and 334

- described 530

- number of 334

- opacity 424

- setting for clips 90

- setting for sequences 90

- temporal compression and 383, 391

key levels 424, 427

key tracks 424

K (VOLUME II)

- keyboard 12
- keyboard shortcuts
 - editing functions 240
 - marking controls 26
 - navigation 151–152
 - pen tools 473
 - playing audio 429–430
 - selecting items 335, 338
 - shuttling through clips with 41
 - volume controls 458
 - zoom controls 142, 144
- keyframe buttons 500
- keyframe graph ruler 500
- keyframe graphs 500
- keyframe navigation buttons 500
- keyframe overlays 129, 140, 437, 550
- keyframes 462–472
 - adjusting 475, 502
 - adjusting overlays 465, 502
 - adjusting pan/spread 465
 - adjusting volume level 465
 - audio levels and 455
 - changing clip volume 474–477
 - clip keyframes 129
 - controlling audio levels 475, 476–477
 - controlling pan/spread 469–472
 - creating 473
 - deleting 466–467, 473, 503
 - filters and 497
 - keyframe overlays 140
 - mixing levels 467–468
 - moving 466, 502
 - navigating between 464, 502
 - setting for audio filters 501
 - setting for clips 463–464
 - setting for parameters 501
 - smoothing 502
 - subframe keyframes 482–484, 511
- keyframing
 - audio filters 499–503
 - controls for 499–500

K (VOLUME III)

- k16mm constant 247
- k24fps constant 247
- k25fps constant 247
- k30fps constant 247
- k35mm constant 247
- k60df constant 247
- kAlpha constant 246
- kBlack constant 246
- kBlue constant 246
- kbold constant 248
- kbolditalic constant 248
- kcenterjustify constant 248
- kCyan constant 246
- kDiamond constant 247
- keyboard shortcuts
 - pen tools 78
 - zoom controls 81
- keyframe buttons 79–80, 117
- keyframe graph ruler 118
- keyframe graphs 80–82, 118
- keyframe navigation buttons 118
- keyframes
 - adding Bezier handles to 102, 107
 - adjusting 84
 - adjusting overlays 85–86
 - adjusting velocity of 104–107
 - animating visual effects with 76–109
 - changing clip parameters 90–96
 - curved keyframes 107
 - deleting 86, 101
 - described 10, 41, 76
 - filter bar and 60–62
 - motion bar and 60–62
 - motion paths and 96–107
 - moving 62, 86
 - navigating between 84
 - one-dimensional keyframes 87
 - removing Bezier handles from 102
 - setting 82–84
 - smoothing 89
 - two-dimensional keyframes 87
 - uses for 76
- keyframing
 - controls for 78–82
 - described 5, 77
 - examples 91–96
 - generators 147
 - settings 78–82
- keying filters 136–138
- key tracks 19
- KeyType statement 252
- kFloat2 constant 247
- kFloat4 constant 247
- kFloat6 constant 247
- kFormatRGB219 constant 249
- kFormatRGB255 constant 248

- kFormatYUV219 constant 249
- kGray constant 246
- kGreen constant 246
- kInteger constant 247
- kitalic constant 248
- kKeyAdd constant 248
- kKeyDarken constant 248
- kKeyDifference constant 248
- kKeyHardLight constant 248
- kKeyLighten constant 248
- kKeyMultiply constant 248
- kKeyNormal constant 248
- kKeyOverlay constant 248
- kKeyScreen constant 248
- kKeySoftLight constant 248
- kKeySubtract constant 248
- kleftjustify constant 248
- kMagenta constant 246
- kplain constant 248
- kRed constant 246
- krightjustify constant 248
- kRound constant 247
- kSize constant 247
- kSquare constant 247
- kUndefined constant 246
- kWhite constant 246
- kYellow constant 246

L (WHAT'S NEW)

- Level controls
 - Color Corrector 3-way filter 59–60
 - Color Corrector filter 51
- Levels attribute 136
- Limit Effect controls 69–72
 - examples of using 72–76
 - settings in 70–72
- long frames 127–129
 - See *also* dropped frames
 - finding and marking 128–129
 - markers 128–129
 - removing markers 129
- luma. See luminance
- luminance 22
 - blacks, mids, and whites ranges 24
 - broadcast legal levels 25–27

L (VOLUME I)

- Label 2 column in Browser 169, 188
- Label column in Browser 169, 188
- Label fields in Item Properties window 211
- Label property 211
- labels
 - clips 188–189
 - colored 67, 188
 - names 188, 189
 - organizing clips with 188–189
 - preferences 67
- Labels tab 67
- LANC format 148
- Last Modified column in Browser 169
- layer masks 308
- layers 307
- L-cuts 530
- leader elements 345–346, 355–356, 357
- Length column in Browser 169
- Length option 408
- Length property for clips 211
- Less search option 202
- letterboxing 501–502
- letterbox video 378, 501–502, 509
- Levels of Undo setting 65
- Limit Data Rate to _KBytes/sec option 117, 121, 124
- Limit data rate to option 383, 391
- linear cross fades 442
- linear editing 19, 530
- links
 - breaking 217
 - between clips and source media 181, 212–218
 - online/offline status and 224
- list view 166, 190, 191, 192–195
- Load option 384
- Local control 39
- locked bin icon 171
- locked items
 - Easy Setups 110
 - presets 110
- Locked option 394
- log and capture process 222–230, 530
 - See *also* capturing process; logging process
- Log and Capture window 225–251
 - AppleTalk and 53
 - batch captures 274–277
 - capture preferences 261–262
 - controls in 88, 225–251
 - log and capture buttons 80, 229
 - marking controls 226, 228
 - opening 80, 225
 - performance and 53
 - playhead controls 227–228
 - tabs in 229, 230–240
 - transport controls 227
 - using 149
- Log Bin button 233
- Log Bin controls 233
- log bins 150, 224, 254–255, 530
- Log button 225
- logging columns 200
- Logging Info tab 211
- logging process
 - See *also* capturing process
 - batch capture lists 150
 - batch lists and 430
 - benefits of 148–149
 - changing clip settings 239, 264
 - clips 421
 - described 20, 143, 146, 222, 530
 - keyboard shortcuts for 258, 470, 483
 - Log and Capture window 149
 - logging clips 148–150, 256–258
 - logging video 222
 - setting up for 230–251
 - tips for 258
- Logging tab 230–236
- Log Note column in Browser 169
- Log Note field 235
- Log Note property for a clip 211
- longitudinal timecode (LTC) 41, 128, 147
- looped playback 81, 530
- looping sequences 341
- Loop Playback option 341
- Loop setting 346, 356
- lossless codecs 154, 328, 333
- lossless compression 372
- lossy codecs 145, 333
- LTC (longitudinal timecode) 41, 128, 147
- luma 531
- luminance 531
- Luminance Map transition 512

L (VOLUME II)

labels

- audiotape 413
- audio tracks 139, 438, 549
- clips 551–552
- colored 551
- defaults 551
- media 551–552
- names 551–552
- paired 139, 549
- preferences 536, 551
- sequential 139, 549
- sorting clips by 552
- in the Timeline 135
- uses for 551

Labels tab 536

Level Keyframe button 419, 462

level keyframe navigation buttons 419, 463

level overlay 421, 455–456, 457

Level slider 419, 457

Levels of Undo setting 538

lift editing

- described 277, 358
- performing 191–192, 277–278, 359

linked selection control 330

linked selections 164–165, 181, 387

link indicators 133

Linking control 133, 165

links

- to audio items 166–168
- breaking 167
- broken 523–524
- between clips and source media 523–524
- to items in Timeline 165–167
- reconnecting between clips and media 523–529
- to video items 165–167

list view 222

locked items

- pen tools and 542
- tracks 158–159, 229, 331

locked tracks control 331

Lock Track control 132, 158, 189, 229

logging process

- logging clips 9, 10–11

Log Note column in Browser 222

looped playback 38, 116

Low Pass filter 509

Low Shelf filter 509

Luminance Map transition 319

L (VOLUME III)

Label statement 251

layering clips 10–38

layers 10–38

Length command 240

LevelMap command 229

Levels filter 135

Lighten command 234

Lighten compositing mode 36

Linear command 107

linearRamp variable 250

Line command 221

Log10 function 219

logarithmic sliders 119

Log function 219

Lower 3rd generator 151

Luma Key filter 138

Luma option 36

M (WHAT'S NEW)

Mac OS X

- changes to menus in the menu bar 160
- changing a file's privileges 157–158
- choosing a scratch disk 159
- default user and file privileges 157
- file privileges on removable media 158
- files and privileges in 156–158
- file sharing issues 155–156
- Final Cut Pro and 155–162
- installing software and saving files 155–156
- memory management 159
- showing and positioning the Dock 161
- Mark Audio Peaks command 138
- Mark Long Frames command 127, 128
- master shot 37
- Media Manager 95–112
 - error messages 103, 106
 - examples of using 107–112
 - opening 97
 - operations in 96–97
 - order of operations 106–107
 - recompressing media 96
 - Relink dialog box 106
 - settings in 97–101
 - using 102–106
 - warning messages 105–106
- Media Manager window 97
- memory
 - managing in Mac OS X 159
- Mixdown Audio command 138
- motion paths
 - moving 143–144

M (VOLUME I)

Mac OS–based systems

- audio formats 374
- image formats 374, 375
- video formats 373
- Mac OS updates 25
- MacPaint format 21, 374
- Make File Names Unique option 317
- Make Movie Self-Contained option 307, 332, 375, 387, 407, 409
- Make Offline command 217
- Make Offline dialog box 218
- Mark Clip button 90
- marker icon 172
- Marker list for logged clips 236
- markers
 - controls for 90
 - described 531
 - keyboard shortcuts for 472
 - logging 236
 - setting for clips 90
 - setting for sequences 90
- Mark Good option 235
- Mark In button 90, 228, 354, 363, 364, 366, 367
- marking
 - controls for 354
- marking controls
 - Canvas 90
 - device control 228
 - Edit to Tape window 354
 - Log and Capture window 228
 - Logging tab 235–236
 - Viewer 90
- Mark Out button 90, 228, 354, 364, 367
- masks 531
- Master, Audio Merged option 427
- master clips
 - See *also* subclips
 - defined 531
- Mastering mode 353, 363, 364, 366, 367, 531
- Mastering Settings tab 352, 355–356
- Master setting 428
- master tapes 416
 - described 416
 - settings 428
- matchboxes 29
- Match Frame button 90
- match frame editing 531
- Match option 202
- media
 - See *also* digital media; source media
 - acquiring 79–80
 - adding colored labels to 67
 - anamorphic. See anamorphic media
 - backing up 174
 - capturing 223

- defined 531
- distribution 79, 81, 321–334
- Easy Setup for 56–59
- elements 346
- importing 289–312
- logging 251–258
- logging and capturing 221–286
- management tools for 82
- options 346
- organizing 158, 183–189
- reconnecting clips to 212–216
- unused 201
- used in Final Cut Pro 143
- media elements 346, 356
- Media End column in Browser 170, 431
- Media End header 431
- media files
 - importing into Final Cut Pro 290–293
 - reconnecting clips to 212–216
- Media Manager
 - described 82
 - recapturing clips 152, 279
- Media options 356
- Media section of Timing tab 211
- Media setting 356
- Media Start column in Browser 170, 431
- Media Start header 431
- memory
 - allocated to Final Cut Pro 54–56, 456
 - defined 533
 - dropped frames and 449
 - extensions for 54
 - requirements for 26, 54
 - video capture cards and 26, 54
 - virtual memory 449, 454
- messages
 - "Break in the Timecode" 452
 - "Servo Can't Lock" 452
 - device control status 249
 - during EDL export 429
- messages. *See* error messages
- microphone jacks 29, 285
- microUDF file system 324
- Mini DV
 - sample rates 400
- MiniDV format 421
- mini-DV format 144
- miniplug 29
- Mirror on Desktop option 132, 133, 450
- mixing audio. *See* audio mixing
- M-JPEG A codec 145, 328
- M-JPEG B codec 145, 328
- M-JPEG codec 145, 328, 333
- M-JPEG video 34, 46
- Mode pop-up menu 353
- modifier keys 479–482
- monitor

- 16:9 button 501
- 4:3 monitor 509
- See also* NTSC monitor; PAL monitor
- broadcast monitors 515–517
- calibrating with color bars 515–517
- color and 26, 515–517
- connecting to computer 27
- external 339
- problems with 448–449, 453
- record monitor 533
- refresh rates and 449
- second computer display 27
- source monitor 534
- standard definition (SD) 300
- mono 531
- Mono Mix option 238
- Mono option 441
- Mono output 386, 392, 400
- More option for searches 202
- motion effects
 - animating 73
- Motion JPEG 21, 114, 328
- motion paths
 - defined 531
- motion settings 73
- Motion tab
 - described 73
 - shortcut menus 492
- Motion tab settings
 - EDLs and 417
- .mov extension 406
- movies
 - See also* QuickTime movies
 - animation 328
 - animation movies 154, 328
 - AVI 389
 - AVI movies 389–392
 - exporting 332, 375–377
 - Fast Start 326
 - Fast Start movies 326
 - hinted 326
 - iMovies 148
 - reference 332, 375, 377, 387, 407, 409
 - reference movies 307, 332, 375–377, 455
 - self-contained 332, 375, 377, 387, 407, 409
 - self-contained movies 307, 332, 375–377
 - streaming 326
 - streaming movies 326
 - uncompressed 327
 - uncompressed movies 153
- MP3 audio files 308
- MPEG 531
- MPEG-1 codec 325
- MPEG-2 codec 324
- MPEG-2 encoder 324
- multichannel mixers 28
- multimedia

- QuickTime files for 372
- sample rates 400
- Multi Spin Slide transition 512
- music
 - sample rate 400
 - stereo 442
- music CDs
 - sample rates 400
- music tracks 442

M (VOLUME II)

- magnified images 50
- Make Offline dialog box 530
- Make Subclip command 85
- map transitions 319
- Mark Clip button 25, 62, 117
- marker overlays 71, 79
- markers
 - adding to clips 80, 198
 - adding to sequences 198
 - in Canvas 197–203
 - clip markers 197
 - defining subclips with 75
 - deleting 81, 200
 - described 78–79
 - extending duration of 84, 202–203
 - moving 82–83, 201–202
 - moving clips with 201
 - moving frame to 80
 - moving playhead to 80, 151, 201
 - moving with timecode 83
 - renaming 82
 - sequence markers 198
 - setting for In and Out points 60, 62, 224–225
 - in Timeline 151, 197–203
 - turning into subclips 85
 - in Viewer 78–87
 - working with 78–87
- Mark In and Mark Out button 25, 26
- Mark In button 60, 118–119, 380
- marking controls
 - Canvas 117–119
 - keyboard shortcuts 26
 - Viewer 16, 25–26
- Mark in Sync command 395–396, 431
- Mark menu 174
- Mark Out button 60, 118–119, 381
- Mark Selection command 174
- Mark Split command 64–65
- master clips
 - breaking into subclips 72, 73
 - finding original for subclips 74
 - unused footage and 77–78
 - working with 32
- master monitoring volume 453
- master tapes 413
- Match Frame button 25, 117
- Match Frame command 275–276
- match frame editing 275–276
- Matrix Wipe transition 320
- media
 - Canvas and 108
 - labeling 551–552
 - management tools for 519–532
 - playing at varying speeds 41–42
 - reconnecting clips to 523–529

- reestablishing links 523–529
- storing on scratch disks 552–555
- utilities for 519–532
- Viewer and 108
- media files
 - finding 532
 - reconnecting clips to 524–529
- Media limit message 341, 346, 349
- Media Manager
 - deleting unused media 77–78
 - described 519
- Media Offline message 524
- memory
 - undo function and 211
 - undo levels and 538
- messages
 - “insufficient content” 340
 - “Media limit” 341, 346, 349
 - “Media Offline” 524
 - trimming operations and 340
- microphone 485, 511
- microphone jacks 485
- microphone popping 511
- mini-DV timecode 44
- mixdown audio 481–482
- Mixdown Audio command 481–482
- monitoring speakers 453
- motion bar 129, 139, 549
- motion effects
 - settings 21
- motion settings 21
- Motion tab
 - described 18, 21
- mouse 12
- Move into Sync option 134, 393
- movies
 - analyzing 520–522
- Multi-Frame Trim Size field 539
- Multi Spin Slide transition 321
- music
 - mixing 454
 - stereo 472
 - synchronization 485
 - tips for cutting 514–515
- music editing 431
- music tracks 515

M (VOLUME III)

- MakeRect command 221
- MakeRegion command 221
- MaskCopy command 226
- Mask Feather filter 139
- Mask Shape filter 140
- MatrixConcat command 243
- Matte Choker filter 140
- Matte command 233
- matte filters 139–140
- MeasureString command 241
- MeasureStringPlain command 241
- memory
 - real-time PCI cards and 189
- MeshBlit3D command 225
- MeshBlit command 225
- Mesh command 220
- Mirror filter 141
- mixdown audio 175
- Mixdown Audio command 175
- motion bar 60–62
- MotionBlur command 228
- Motion Blur parameter 44
- Motion Blur settings 44–45
- motion effects 41–76
 - controls for 42–45
 - creating favorites 108–109
 - described 5, 9, 41
 - examples 45–59
 - settings 42–59, 62–76
- motion paths
 - adding keyframes to 100
 - Bezier curves and 101–104
 - controlling speed along 104–107
 - creating 98–104
 - deleting keyframes in 101
 - keyframed motion paths 96–107
- moving keyframes in 101
- motion settings 42–59
- Motion tab 42–59
 - adjusting clip opacity 18–19, 91–94
 - examples 45–59
 - keyframe controls on 79–82
 - settings in 42–59
 - working with keyframes 82–86
- Multiply command 233
- Multiply compositing mode 32–33

NO “N” IN WHAT’S NEW

N (VOLUME I)

- Name column in Browser 70, 167
- Name field for clips 113, 120, 127, 234
- Name option 408
- narratives 253
- navigation
 - in Browser 180
 - in Canvas 89
 - clips 89
 - controls for 354
 - in Edit to Tape window 353–354
 - keyboard shortcuts 465–466, 479
 - sequences 76, 89
 - with timecode values 93
 - in Timeline 76
 - in Viewer 89
- NDF (non-drop frame) 345
- nested sequences 425
 - described 531
 - EDLs and 425
- New Bin button 233
- New Project command 173
- Next Edit button 88
- NeXT format 374
- Non-Additive Dissolve transition 511
- non-controllable devices 39, 230
- nondestructive editing 19
- non-drop frame (NDF) 345
- non-drop frame timecode 91–92, 531
- None option for external video 132, 133
- non-interlaced video 531
- nonlinear editing 19, 531
- nonlinear editing systems 416
- non-square pixels 298–300
- “No shortcut” message 407
- NTSC codec 409
- NTSC FireWire DV camera 57
- NTSC format
 - contrast levels 517
 - defined 532
 - Setup waveform level 520
 - timecode and 91
- NTSC monitor 26–27
- anamorphic media and 499
- problems with 27, 448–449

N (VOLUME II)

- Name bar 499
- navigation
 - in Canvas 113–116
 - keyboard shortcuts 151–152
 - playhead in Timeline 149–152
 - with timecode values 150
 - in Timeline 130–131, 149–152
 - in Viewer 40–43
- nested items
 - audio clips 506–507
 - audio tracks 506–507
- Next Edit button 24, 25, 379
- Next Frame button 379
- noise, background 405, 513
- noise reduction filters 491–492
- Non-Additive Dissolve transition 319
- non-drop frame timecode 43
- non-square pixels 53–54
- Notch filter 509
- NTSC format
 - drop frame timecode and 548
 - timecode and 43
- NTSC monitor
 - action/title safe boundaries 58–59

N (VOLUME III)

- Name bar 117
- nested items
 - filtered clips 131
- nested sequences 38–41
 - alpha channels and 185
 - described 9
 - preserving render files 185
 - uses for 38–39
- Nest Items command 40–41
- Noise generator 150
- non-square pixels 66
- Normal compositing mode 31
- NumToString command 240

O (WHAT'S NEW)

OfflineRT

- capturing clips 10
- Easy Setups 9–10
- Photo JPEG format and 10
- quality of clips captured 10
- recapturing media at online quality 11
- setting up for real-time playback 9–10
- software real-time effects playback and 7
- using graphics in low-resolution sequences 10
- viewing captured clips on a broadcast monitor using a PowerBook 12–13

offset

- of audio-recording devices 86–87

OS X. See Mac OS X

Offline Files dialog box 213

Offline Items in Logging Bin option 275

Off option for external video 134

OMF

- exporting audio files to 330

OMF Audio Export command 324

OMF Audio Export Settings dialog box 443

OMF audio files

- described 330

- exporting 324, 441–444

OMF export

- audio files 284–285

- audio tracks 156, 330

OMF Export command 441

OMF files 284–285, 330

Omit search option 202

Omit Transitions setting 427

online clips 150, 224

online editing 19–20, 151, 415

onscreen help 10–11

opacity keyframes 424

opacity levels 427

Open command 176

Optimize Hints for Server option 387

options. See settings

Options button 132, 133

Options option 383, 386, 387, 391, 392, 396

Out column 169

Out points

- creating sync beeps 437–438

- defined 532

- including extra audio 438

- moving playhead to 342

- playing sequences to 342

- setting 364, 367

Out property 210

output, defined 532

output features 475

Oval Iris transition 512

overlays

- audio overlay 439

- Edit Overlay 75, 82

overscan video 378

overwrite editing

- described 532

O (VOLUME I)

offline, defined 532

Offline Clip icon 171

offline clips

- described 19–20, 149, 212, 224

- illustrated 150

- logging and 149, 150

- moving and 212

- reestablishing links 212–216

- renaming files and 181, 212

- using 217–218

- vs. online clips 224

Offline column in Browser 170

offline editing 415

- capturing video for 151

- data rate and 151, 152

- described 151, 415, 532

O (VOLUME II)

- offline clips
 - breaking links to 523–524, 529–530
 - finding 526
 - illustrated 523
 - reestablishing links 523–529
 - vs. missing clips 530
- offline files 523–530
- Offline Files window 527–528
- Option key
 - dragging items and 185
 - pen tools 473
- out-of-sync indicators 134, 154, 388–392
- Out points
 - moving playhead to 68, 233, 235
 - setting for audio/video 432
 - setting with clip duration 61
- Out Shift indicator 380
- Oval transition 319
- overlays 68–71
 - adjusting 465, 475, 502
 - clip overlays 550
 - described 57
 - displaying 69–71, 437
 - Edit Overlay 124, 239
 - hiding 71
 - keyframe overlays 129, 550
 - level overlay 457
 - marker overlays 71, 79
 - pan/spread overlay 421, 461
 - in Viewer 68–71
 - viewing 71
- overscanning 58
- overwrite editing
 - copying/pasting clips 343–345
 - described 213
 - dragging clips 342
 - pasting items as 186
 - performing 244–246, 259–260, 342–345
 - in Timeline 259
- overwrite with transition editing
 - 213, 246–248, 283

O (VOLUME III)

- Offset3d command 224
- Offset command 224
- Offset parameter 44
- OffsetPixels command 232
- opacity
 - adjusting 91–96
 - adjusting in Timeline 14–19
 - compositing modes and 30
- opacity overlay 94–96
- Opacity parameter 43, 44
- Opacity settings 43
- Option key
 - pen tools 78
- Outline Text generator 152
- Outset3d command 224
- OvalRegion command 221
- Overlay command 233
- Overlay compositing mode 34
- overlays
 - adjusting 85–86

P (WHAT'S NEW)

- Pan attribute 136
- Parade scope 35–36
- Paste Attributes command 136
- Paste Attributes dialog box 136
 - Levels and Pan attributes in 136
- Photo JPEG format 10
- Photoshop files
 - editing layered 152
 - imported into Final Cut Pro 152
- post production
 - managing color during 18–21
- Preferences window 126
- primary color correction 38, 41
- progressive scan 125, 126

P (VOLUME I)

- Packet Duration Limit option 387
- packets
 - options for 387
- Packet Size Limit option 387
- Page Peel transition 512
- PAL equipment 33
- PAL format
 - contrast levels 517
 - defined 532
 - Setup waveform level 520
- PAL monitor 26–27
 - anamorphic media and 499
 - problems with 27, 448–449
- PAL video format 21
- Panasonic RS-232 protocol 42
- Panasonic RS-422 protocol 42
- pans
 - OMF files and 442
- partitions
 - arrays 38
 - multiple 33
 - naming 163
- Paste command 181
- patch panel 30, 47
- paths, motion 531
- .pct extension 406
- Pen Delete tool 481
- Pen tool 481
- performance
 - extensions for 54
 - fragmentation and 450
 - problems with 454
 - recommendations 53–54
 - working with projects 172
- Photo JPEG format 21, 114, 155
- Photoshop files 155, 307
- Photoshop format 21, 374
- PICT files
 - extension for 406
- PICT format 21, 155, 374, 532
- Pixel Aspect column in Browser 170
- pixel aspect ratio 113, 298–299, 532
- Pixel Aspect Ratio setting 113, 210
- pixels
 - defined 532
 - graphics creation and 298
 - non-square 298–300
 - square 298–300
- plain media bars 67
- Play Around Current button 66, 88, 227, 354
- playback
 - See *also* playhead
 - adjusting audio 345
 - codecs and 144
 - dropped frames and 65
 - DVD 324

- keyboard controls 88
- Log and Capture window 226
- looping 81, 341, 530
- options 341
- problems during 448–453, 455
- quality of 144, 378
- testing 339
 - from Timeline 331
 - in Timeline 331
 - viewing options during 132
- Playback Offset field 130
- Play button 88, 227, 354
- Play command 341
- playhead
 - See *also* playback
 - in Canvas 89
 - in Log and Capture window 227–228
 - moving backward in Timeline 342
 - moving forward in Timeline 342
 - moving to Out point 342
 - play time before and after 342
 - positioning in Timeline 340
 - in Viewer 89
- playhead controls 89, 227–228
- playing clips
 - keyboard shortcuts for 470
- Play In to Out button 88, 227, 354
- pluge bars 516
- PNG format 21, 375
- pointers
 - reference movies 375
- Point Iris transition 512
- Portable Network Graphics. See PNG
- ports
 - FireWire 25, 27, 42
 - sound input 156
- Port setting 128
- poster frames 194, 198–199
- post-production process 17, 20–21, 22, 532
- Post-roll setting 342
- post-roll settings 66, 129
- Power Mac G4 computers 36
- Power Macintosh G3 computers 36, 453
- preferences 65–67
 - See *also* settings
 - autosave 175
 - capture 261–263
 - described 100
 - general 65
 - labels 67
 - scratch disks 67
 - setting 65–67
 - Timeline 66
 - video devices and 25
- Preferences window 57, 65
- Pre-read Edits setting 427
- Pre-roll setting 342

- pre-roll settings 66, 129
- Preset Editor window 108, 109
- presets 63–64, 103–130
 - See *also* Easy Setups; settings
 - audio settings 64
 - capture presets 103, 105, 107, 119–126
 - choosing 104–105
 - creating 108–109
 - deleting 110–111
 - described 99, 100, 532
 - device control presets 103, 105, 107, 126–130
 - editing 109
 - Edit to Tape operations 358
 - installing 111
 - locking 110
 - obtaining additional 111
 - sequence presets 103–106, 112–119
 - video settings 64
 - viewing settings for 106–107
 - working with 103–111
- Preview area of Log and Capture 80
- Preview edit button 368
- preview editing 351
- previewing edits 368
- Preview Post-roll setting 66
- Preview Pre-roll setting 66
- Previous Edit button 88
- Primary Scratch Disk option 56
- printing
 - clips 346
 - sequences 346
 - to videotape 331, 337, 343–346
- printing to video 331, 343–346
- Print setting 346, 356
- Print to Video command 81, 331, 337, 343–346, 532
 - described 331, 337
 - settings 345–346
 - timecode breaks and 350
 - tracks and 349
- Print to Video window 81
- problems. See troubleshooting
- Processing Amplifier (Proc Amp) 519
- Process Maximum White As setting 118
- programs, third-party 11, 60
- project files
 - backing up 174
 - naming schemes 253–254
- projects
 - adding bins to 184
 - autosaving open projects 66
 - changing properties of 177
 - closing 176–177
 - creating 173–174
 - deleting items from 181
 - described 18, 161, 533

- distribution 321–334
- documentary-style 253
- narratives 253
- opening 176
- organizing 158, 183–189
- performance issues 172
- reconnecting links 212–216
- redoing changes in 96
- saving 66, 173–175
- searching for items in 201–206
- theatrical distribution 323–324
- undoing changes in 96
- unused media in 201
- updating earlier versions of 163–165
- working with 172–177
- Project tab 486–487
- Prompt box 234
- properties
 - changing clip properties 207–211
 - changing project properties 177
 - viewing clip properties 207–211
- Protocol setting 127–128
- Push Slide transition 512

P (VOLUME II)

- Page Peel transition 319
- PAL format
 - timecode and 43
- PAL monitor
 - action/title safe boundaries 58–59
- pan
 - adjusting for clips 460–461
 - changing in Timeline 478
 - controlling with keyframes 462–467, 469–472
 - setting in Viewer 459–461
 - tips for working with 472
- Pan/Spread Keyframe button 420, 463
- Pan/Spread keyframe navigation
 - buttons 420, 463
- pan/spread overlay 421, 461
- Pan/Spread slider 419–420, 459–461
- Pan slider 419, 459, 460
- Parametric Equalizer filter 509
- Paste Attributes command 196–197
- Paste Attributes dialog box 194–197, 496
- Paste Insert command 344
- pasting clips
 - attributes 194–197
 - overwrite edits 343
 - in Timeline 185–187
- peak light 411
- Pen Delete tool 328
- Pen Smooth tool 328
- Pen tool 328
- pen tools 473, 542
- Pen tools setting 542
- performance
 - DV playback and 38
- pixels
 - non-square 53–54
 - square 53–54
- Play Around Current button 24, 115
- Play Around Edit Loop button 379
- playback
 - dropped frames and 541
 - of every frame 116
 - looping 38, 116
 - options 115–116
 - quality of 38–39, 109–110
 - stopping 35
 - in Trim Edit window 379
- Play button 24, 35, 115, 379
- Play Every Frame command 116
- playhead
 - in Canvas 113–116, 151–152
 - described 23
 - extending marker duration 84, 203
 - jumping 150
 - moving forward and backward 46
 - moving markers with 82–83, 201

- moving to edit point 151, 233
- moving to In and Out points 68, 233, 234
- moving to marker 151
- moving to marker frame 80
- moving to specific location 150
- moving with timecode 42, 46–47
- navigating between keyframes 464
- navigating in Timeline 149–152
- playing clips around current
 - position of 37
- positioning in Timeline 150
- positioning on sequence marker 198–199
- positioning with ruler 150
- stopped 81
 - in Timeline 130
 - in Viewer 16, 17, 22–24
- playing audio 429–430
- playing clips
 - around current playhead position 37
 - between In and Out points 36–37
 - playing every frame 37
 - in reverse 36
 - at varying speeds 41–42
 - in Viewer 35–37
- Play In to Out button 24, 115, 379
- poster frames 75–76
- post-roll settings 543
- Power Mac G4 computers 39, 109, 110
- Power Macintosh G3 computers 109
- preferences
 - general 537–543
 - labels 536, 551
 - Real-time Audio Mixing preferences 478
 - scratch disks 536, 552–555
 - setting 535
 - tabs for 535
 - Timeline 137–141, 535, 547–550
 - user mode 535, 546–547
- Preferences window 535–555
- pre-roll settings 543
- presets
 - sequence presets 104
- previewing transitions 316
- Preview Post-roll setting 543
- Preview Pre-roll setting 543
- Previous Edit button 24, 115, 379
- Previous Frame button 379
- project files
 - reestablishing links 523–529
- projects
 - adding clips to 35
 - adding clips to open projects 35
 - adding new sequences 105
 - copying sequences between 108
 - dragging sequences between 108
 - dynamic range 452
 - importing audio into 413–414

- monitoring audio levels 453
- reconnecting links 523–529
- properties
 - modifying item properties 205
 - viewing item properties 205
- Push Slide transition 321
- Push transition 320

P (VOLUME III)

- PagePeel command 226
- Particle Noise generator 150
- Paste Attributes command 60, 126
- Paste Attributes dialog box 50, 126
- PCI cards 189–191
- Pen Delete tool 78
- Pen Smooth tool 78
- Pen tool 78, 83
- pen tools 78
- performance
 - mixdown audio and 175
- perspective filters 141
- pixels
 - non-square 66
 - square 66
- playback
 - speed of 154–155
- playhead
 - navigating between keyframes 83
- playing clips
 - in reverse 154, 155
- point3d data type 217
- Point controls 120
- point data type 217
- Point statement 251
- PointTrack command 244
- PondRipple command 231
- Pond Ripple filter 134
- Popup statement 251
- Posterize filter 142
- Power function 219
- Proc Amp filter 135
- ProducesAlpha statement 253
- projects
 - updating earlier versions of 180–181

Q (WHAT'S NEW)

- quick-sync indicators 124
- QuickView playback 117–118
- QuickView tab 115, 116–119
 - controls in 118–119
 - opening in the Tool Bench 116

Q (VOLUME I)

- QDesign audio files 308
- Quality option 383, 391, 408
- Quality setting 115, 116, 121, 123
- Queued option 408
- QuickTime 371–411
 - cross-platform compatibility 372, 373
 - described 51, 533
 - exporting anamorphic media to 510
 - file formats. *See* QuickTime file formats
 - filters 384
 - installing 51
 - output types 371–373
 - sample rates 451
 - settings. *See* QuickTime settings
 - sound settings 385–386
 - types of output 371–373
 - Web site for 13
- QuickTime codecs 144, 145, 328, 334
- QuickTime Compression Settings dialog box 333, 334
- QuickTime Fast Start movies 326
- QuickTime file formats
 - audio files 374
 - image files 374
 - video files 373
- QuickTime files
 - alpha channels and 296–297
 - broadcast-quality 371–372
 - compression 371–372, 378–380
 - digital delivery 327–328
 - export formats 380
 - exporting 324, 377–394
 - exporting for DV streaming 393–394
 - exporting in AVI format 389–392
 - exporting in FLC format 388–389
 - extension for 406
 - field dominance and 294–295
 - frame size 378–379
 - hinted 326, 386
 - iMovie and 148
 - importing 153–154, 293–297
 - Internet streaming 386–387
 - for multimedia use 372
 - outputting 332
 - rendering and 148

- streaming over Internet 326, 386
- uncompressed 372
- using as countdown 346
- vs. DV Stream files 148
- for Web use 372
- QuickTime filters 384
- QuickTime Image format 21, 375
- QuickTime Movie format 373
- QuickTime movies
 - See *also* movies
 - compression 332, 379, 381
 - converting numbered image sequences into 306–307
 - described 327
 - distributing on Web 326–327
 - exporting 332, 381–387
 - exporting sequences as 375–377
 - outputting 326–327, 332
 - reducing size of 379
 - save options 307
 - sound settings 385–386
 - types of 153
 - uncompressed 327
 - video settings 382–385
 - for Web 326–327
- QuickTime Pro
 - converting numbered image sequences 306–307
 - registering 52–53
 - serial number 456
- QuickTime settings 382–387
 - audio 115–118, 122–126, 385–386
 - capture presets 119–126
 - sequence presets 114–118
 - video 114–117, 121–122, 382–385
- QuickTime Streaming movies 326–327
- QuickTime Streaming Server software 326, 386
- QuickTime streaming video 21, 326, 533
- QuickTime Web site 384

Q (VOLUME II)

- QuickTime
 - action/title safe boundaries and 58, 59
 - sample rates 539
- QuickTime files
 - analyzing 520, 522
- QuickTime movies
 - analyzing 520, 522
- QuickTime transitions 320–321

Q (VOLUME III)

- QTEffect statement 253
- QuickTime files
 - alpha channels and 20

R (WHAT'S NEW)

- RAM cache 117–118
- Range Check options 26–27
 - enabling 26
- real-time effects
 - See *also* software real-time effects
- recompressing media
 - using the Media Manager 96
- Relink dialog box 106
- Remove Attributes command 136–137
- render status bars 14
- render time 130
- resampling audio files 137
- Restore Project command 133, 134–135
- Revert Project command 133, 134
- RT Still Cache
 - allocating memory to 8

R (VOLUME I)

- RAIDs (Redundant Array of Independent Disks) 38, 533
- RAM. See memory
- Random Edge Wipe transition 513
- Range Selection tool 479
- Rate option 385, 394, 400
- Rate setting 115, 118, 123, 125
- raw data 533
- Razor Blade All tool 480
- Razor Blade tool 480
- RCA connectors 29, 31
- real-time audio mixing 449
- real-time effects 533
- Recapture option for EDL import 317
- recapturing clips
 - with device control 147, 174
 - without device control 146
 - from imported EDLs 318
 - manually 146
 - with Media Manager 279–280
 - for online input 152
- Recompress All Frames option 407, 409
- Reconnect Media command 212, 215, 224
- Reconnect option for EDL import 317
- recording process
 - See *also* capturing process
 - Print to Video command 337, 343–346
 - recording anamorphic media 503
 - recording audio 157–158
 - recording from Timeline 337, 340–342
 - recording to videotape 337–346
 - setting up for 338–339
 - viewing options during 133
- record monitor 533
- Rectangle Iris transition 512
- redigitizing 533
- Redo command 96
- redo function 96
- Redundant Array of Independent Disks (RAIDs) 38, 533
- Reel column in Browser 170
- Reel field 233
- Reel property for a clip 211
- reels
 - changing name in Browser 423
 - information about 233
 - multiple 422
 - names of 232, 419, 421–423, 425
 - numbers 19, 230–231
- reference movies 307, 332, 375–377, 387, 455
- reference tone 345
- registering QuickTime Pro 52–53
- Remote control 39
- Remote Timecode 358
- removable media drives 34
- removable storage media 290
- renaming items

- bins 181
- clips 181
- files 181
- sequences 181
- Rendered Frames option 131, 132, 133
- render files
 - deleting 165
 - managing 83
 - saving to scratch disk 56, 59
 - updating projects and 165
- rendering
 - anamorphic media 508
 - controlling 134
 - described 533
 - DV Stream files 148
 - external display option 134
 - printing to video and 339, 340, 344
 - quality levels for 339, 361, 376, 406, 408
 - QuickTime files and 148
 - reference movies and 375
 - single frames 134
 - unrendered effects 340
- Render Manager 83
- Render Quality command 361
- Render Quality pop-up menu 339, 361
- replace editing described 533
- Replace Find Results option 202
- Report Dropped Frames setting 65, 263
- resolution
 - anamorphic video 502
 - capturing clips and 146
 - Standard Definition video 396
- Results option 202
- Reverse Alpha column in Browser 170
- Reverse Alpha property 209
- Reverse option 342
- Rewind button 227, 354
- RGB color space
 - Component RGB 32
 - updating projects and 163, 533
- RGB format 517
- Ripple Dissolve transition 512
- ripple editing described 533
- Ripple Edit tool 480
- roll editing described 533
- Roll Edit tool 480
- rotoscoping 534
- rough cuts 59
- rough editing 21
- RS-232 interface 40, 44, 147
- RS-422 interface 40, 44, 147
- RT-11 disks 430
- RTP Payload Encodings option 387

R (VOLUME II)

- Radial transition 321
- Random Edge Wipe transition 323
- Range Selection tool 169–171, 328, 333
- Ratio slider 491
- Razor Blade All tool 373, 374
- Razor Blade tool 373
- Razor Blade tools 328
- real-time audio mixing 478–479, 540
- Real-time Audio Mixing preference 478
- Real-time Audio Mixing setting 540
- Recent Clips pop-up menu 17, 27, 34
297, 538
- Reconnect Media command 519, 523–529
- recording process
 - audio levels during 406–411
 - recording audio 406–408
- Rectangle transition 319
- Redo command 212
- redo function 212
- reference levels 408–411
- Release time control 491
- renaming items
 - favorites 312, 451
 - markers 82
- render bars
 - colors in 206, 504
 - described 315–316, 481
 - filters and 504–506
 - indicators in 206–207
 - regions in 206
- render files
 - audio render files 506–507
 - deleting 160, 531–532
 - invisible tracks and 160, 541
 - preserving 506–507
 - storage locations for 552–555
- rendering
 - audio 456
 - audio filters 504–506
 - described 315
 - effects 505
 - transitions 315–317, 504–506
- Render Manager 519, 531–532
- Render Quality pop-up menu 133, 160
- render status bar 132
- replace editing
 - described 214
 - edit points and 221
 - examples 250–253
 - In and Out points and 248–249
 - performing 248–253
 - replacing clip contents 252–253
 - replacing clips in Timeline 250
 - resynchronizing audio/video clips 251
 - rules for 249
- Report Dropped Frames setting 541
- Reset button 302, 420, 463, 488, 500
- resize editing 306, 346–349
- resolution
 - audio clips 428
- Reverb filter 493–494, 510
- reverse play 36
- Reverse Transition button 302
- RGB channels 55–56
- RGB mode 55
- ripple deletes 277–278, 360–361
- Ripple Dissolve transition 319
- ripple editing
 - adjusting clip length 307–308
 - described 277, 354
 - performing 193, 278
 - performing in Timeline 355–356
 - performing in Viewer 356
 - rippling multiple tracks 358
 - synced clips and 357, 361
 - tips for 358
- Ripple Edit tool 328, 354
- roll editing
 - changing transition location 306–307
 - described 349
 - performing in Timeline 350–351
 - performing in Viewer 352
 - rolling multiple tracks 352
 - tips for 352
 - transition bar and 299
- Roll Edit tool 328, 350
- room tone 431, 441–443, 511
- rough cuts 11
- ruler
 - keyframe graphs 500
 - positioning playhead with 150
 - Timeline 130
 - Transition Editor 298
 - Viewer 420–421

R (VOLUME III)

- RadialBlur command 228
- Radial Blur filter 132
- RadioGroup statement 251
- Random command 243
- RandomNoise command 244
- Random Seed command 243
- RandomTable command 243
- ratio variable 249
- real-time editing 189–191
- real-time effects 164, 176, 189–191
- real-time generators 148
- real-time PCI cards 189–191
- real-time video cards 176
- RegionCopy command 225
- region data type 217
- RegionIsEmpty command 222
- Render All command 176
- render bars
 - colors in 161, 191
 - indicators in 161–162
 - real-time PCI cards and 191
- RenderEachFrameWhenStill statement 254
- render files
 - deleting 181, 183, 184
 - invisible tracks and 185
 - location of 164, 183
 - managing 182–185
 - preserving 184–185
 - storage locations for 182
 - Undo command and 181
 - viewing 184
- rendering 159–185
 - audio 173–175
 - avoiding need for 163
 - basics of 159–163
 - batch rendering 172
 - cuts and 164
 - defaults for new projects 169
 - described 159, 189
 - disabling 172–173
 - generators and 148
 - order of 162
 - planning for 163–164
 - previewing effects 170
 - quality levels for 164, 164–170
 - real-time effects 164, 176, 191
 - reducing time for 164
 - render quality settings 164–170
 - sequences 171–172
 - settings for 164–170
 - source media 160
 - time required for 163
 - video 170–173
 - in YCrCb color space 177–181
- Render Manager 183–184
- Render Quality command 167
- Render Quality Editor 166–170
- renderRes variable 250
- Render Selection command 176
- Repeat While statement 255
- Repeat With Counter statement 255
- Repeat With List statement 256
- Replicate filter 142
- ResetText command 242
- resolution
 - animation 110
 - graphics clips 10, 109–111
 - images 109–111
- Return statement 257
- Reverse Alpha property 21
- reverse play 154, 155
- RGBColorKey command 237
- RGB color space
 - compositing and 178
 - working in 177
- RGB mode 63
- RGBtoYUV variable 250
- Ripple command 231
- Ripple filter 134
- Rotate3d command 224
- Rotate command 224
- Rotate filter 141
- rotational handle 65
- Rotation parameter 42
- ruler
 - keyframe graphs 118

S (WHAT'S NEW)

- saturation 23
- Saturation control
 - Color Corrector 3-way filter 59–60
 - Color Corrector filter 52
- scratch disks 126
 - choosing in Mac OS X 159
- Scratch Disks tab 126
- screen layouts 113–115
 - custom 114–115
- software real-time effects
 - FireWire and 7
 - motion effects 8
 - playback 7–14
 - playback capabilities 9, 13
 - playback using DV 13
 - playback using OfflineRT 9–13
 - requirements for playback 7
 - still frames 8
 - transitions and filters 8
- Speed command 153
- superwhite 22

S (VOLUME I)

- Same as Playback option 133
- Sample Rate options 443
- sample rates 385, 392, 394, 400, 443
 - importing audio and 309–310
 - mismatched 455
 - QuickTime 451
- sampling 534
- saturation 534
- Save All command 174
- Save Normally option 307
- Save option 384
- Save Project command 173
- saving items
 - autosave feature 174–175
 - cache files 56, 59
 - clips 56, 59
 - projects 66, 173–175
 - QuickTime movies 307
 - render files 56, 59
 - to scratch disk 56, 59
- scaling items
 - anamorphic media 501
 - graphics 302
- SCART connector 33
- Scene column in Browser 170
- Scene field 234
- Scene property for clips 211
- scratch disks
 - defined 534
 - preferences 67, 274
 - redefining 261–262
 - setting up 56, 59
- Scratch Disks button 262
- Scratch Disks tab 67
- screen layouts 94–96, 467
- scripts
 - See *also* FXBuilder
 - for devices 448, 453
 - updating projects and 163
- scrolling
 - keyboard shortcuts for 466
- scrubber bar 89
- scrubbing
 - in clips 196–197
 - defined 534
 - in thumbnails 194
- Scrub tool 480
- Scrub Video tool 196–197
- SCSI cables 37
- SCSI disk arrays 38
- SCSI disk drives 37
- SCSI interface cards 37
- SD (standard definition) video 300
- SDI (Serial Digital Interface) format 21, 33
- search feature. See finding items
- Search option 202

- SECAM standard 26
- Select All Tracks Backward tool 480
- Select All Tracks Forward tool 480
- Selected Items in Logging Bin option 276
- Selection tool 196, 479
- Select Preset option 317
- Select Track Backward tool 480
- Select Track Forward tool 479
- self-contained movies 307, 332, 375–377, 387
- sequence controls 89
- sequence icon 171
- Sequence Preset Editor 112–119
- sequence presets 112–119
 - audio settings 115–118
 - default choices in 105
 - described 103, 112
 - general settings 113–114
 - QuickTime settings 114–118
 - video settings 114–115, 118
 - viewing 106
- sequences
 - adding black 345, 346
 - adding black trailers 346
 - adding countdowns 346
 - anamorphic video and 505–508
 - batch exporting 332, 400–411
 - Canvas and 68
 - copying 436
 - deleting from projects 181
 - described 18, 162
 - duplicating 436
 - DVD playback 324
 - exporting 394–396
 - exporting as batch lists 432
 - exporting as EDLs 418, 418, 426–429
 - exporting as QuickTime clips 324
 - exporting as QuickTime movies 332, 375–377
 - exporting audio from 372–373, 398–400
 - exporting multiple 332
 - image 329, 372, 394–396
 - importing 155–156
 - length of 18
 - letterboxing 509
 - looping 341
 - matching audio for 90
 - matching video for 90
 - navigating 76, 89
 - nested 425, 531
 - numbered 155, 304–307, 329, 372, 394–396
 - number of edits in 424
 - output of 329
 - outputting to videotape 331
 - playback options 342
 - playing 88
 - playing every frame in 342
 - playing in Timeline 331
 - printing 346
 - printing to video 331
 - QuickTime clips and 293
 - redoing changes in 96
 - renaming 181
 - rendering 377, 407, 409
 - setting In and Out points for 90
 - setting keyframes for 90
 - setting markers for 90
 - settings for 66, 293
 - simplifying 418
 - sorting 182–183
 - Timeline and 68
 - undoing changes in 96
 - updating earlier versions of 165
- Sequence Settings command 173
- serial cables 42
- serial device control
 - accuracy of 39
 - described 147
 - DV system setup 44–45
 - guidelines 248
 - Protocol setting 128
 - using 40–41
- Serial Digital Interface (SDI) format 21, 33
- serial numbers 456
- Servo Can't Lock message 452
- Set Marker button 235
- Set Marker In field 235
- Set Marker Out field 235
- settings
 - See also Easy Setups; preferences; presets; specific settings*
 - audio 64, 311, 338, 400
 - AVI QuickTime files 390–392
 - Batch Capture dialog box 275–276
 - batch exports 403–409
 - camcorder 338
 - capture 260–264
 - Capture Preset Editor 281
 - capture presets 119–126
 - clips 242–245, 264
 - described 99, 100
 - device 357
 - device control 359
 - device control presets 126–130
 - Edit to Tape 352–357
 - Edit to Tape operations 358–361
 - EDL export 426–429
 - EDL import 316–318
 - external video 130–134, 338, 358
 - film transfer facilities and 323
 - filters 72
 - FLC QuickTime files 388
 - generators 73
 - image sequences 394–396
 - Internet streaming 386–387
 - motion 73

- OMF audio 443
- presets 106–107
- Print to Video 345–346
- Print to Video command 345–346
- QuickTime 382–387
- QuickTime sound 385–386
- QuickTime video 382–385
- sequence presets 112–119
- sequences 66, 293
- still images 396
- Timeline recording 342
- video 64, 130–134, 338
- video deck 338
- Settings button 404–407
 - batch exports 404–407
- Settings option 383, 408
- Setup (black level) 242
- Setup waveform level 520
- SGL format 21, 375
- SGL workstations 375
- shortcut menu 407
- shortcut menus 485–497
 - See *also* keyboard shortcuts
 - Browser 485–487
 - Canvas 495–497
 - timecode navigation 93
 - Timeline 493
 - using 84–85
 - Viewer 488–492
 - viewing 84–85
- Shot/Take column in Browser 170
- Shot/Take field 211, 234
- Show Audio Waveforms option 67
- showing items
 - columns 432
- Show option 214, 216
- Show Preview option 214, 216
- Shuttle control 354
- shuttle control
 - Canvas 89
 - Log and Capture window 227
 - Viewer 89
- Single Frames option 134
- Size column in Browser 170
- Size option 383, 386, 400
- Size setting 118, 125
- Skip All command 214, 216
- Skip command 214, 216
- slate 345, 356
 - adding black 345, 346
 - contents of 345
- Slate button 233, 234
- Slate setting 345, 356
- Slide Item tool 480
- Slip Item tool 480
- Slug generator 342
- slugs 534

- SMPTE standard 147, 511, 522
- software, third-party 11, 60
- Sony 5000 format 231, 318, 417, 422, 424
- Sony 9100 format 231, 417, 422, 424
- Sony LANC protocol 42
- Sony RS-232 protocol 42
- Sony RS-422 protocol 41
- Sony VISCA protocol 42
- Sorenson codec 325, 326, 380
- Sorenson format 21, 325
- sorting items
 - bins 182–183
 - in Browser 182–183
 - clips 182–183, 188, 427
 - with labels 188
 - sequences 182–183
- Sorting setting 427
- SOT (Sound On Tape) 534
- sound
 - quality 436, 442, 443
 - QuickTime settings 385–386
- sound. See audio
- sound bytes. See Sound On Tape (SOT)
- sound effects tracks 442
- Sound Files option 214, 216
- sound input port 156
- Sound On Tape (SOT) 534
- sound quality 455
- Sound Settings dialog box 440
- sound sweetening 435, 442
- sound tracks
 - sweetening 435, 442
- Source, Audio Merged option 427
- source clips 19, 146, 147
- Source column in Browser 170
- Source File property 209
- source media
 - See *also* media
 - links to clips 212–218
 - reconnecting clips to 212–216
- source monitor 534
- source tapes 416, 421–423
 - adjusting 246
 - EDLs and 416
 - reel names 230–231, 421–423
- Source Timecode column 421
- spatial compression 117, 124, 333
- speakers
 - external 27, 449
 - problems with 449, 454
- Speaker setting 126
- special effects 534
 - See *also* effects
 - EDLs and 418
 - rendering and 340
- Speed section of Timing tab 211
- Speed settings 211, 425

- Spin3D transition 511
- Spinback3D transition 511
- Spin Slide transition 512
- split editing
 - EDLs and 420
- Split Edits 420
- Split Slide transition 512
- spread
 - See *also* Pan/Spread slider; pan/ spread overlay
- spreadsheet programs 150, 430, 431
 - creating batch lists 430, 431
- square pixels 298–300
- Squeeze and Stretch transition 512
- Squeeze transition 512
- standard columns 200
- standard definition (SD) video 300
- Standard Definition video 396
- standard element timing 346, 357
- Standard user mode 59
- Star Iris transition 512
- Starting Timecode field 66
- Start property 211
- Start Time setting 428
- Status option 408
- stereo audio
 - defined 534
- stereo music 442
- Stereo output 386, 392, 400
- still frames 425
- Still Image Files option 214, 216
- still images
 - See *also* images
 - duration of 302–303
 - exporting 372, 396–398
 - importing 155–156, 298–308
- Stop button 227, 354
- storage media 35
- storyboard 534
- straight cut 535
- streaming
 - defined 535
 - QuickTime files 386–387, 393–394, 533
- streaming movies 326, 379
- streaming QuickTime files 386–387
- streaming tape backup system 394
- Stretch transition 512
- Strip Existing Extension option 406, 409
- stuttering 453
- subclip icon 172
- subclips
 - See *also* master clips
 - creating 236
 - described 535
 - turning markers into 236
- Summary tab 135, 137–138
- Sun Audio format 374
- superimpose editing
 - described 535
- Super-White
 - sequence settings 119
- Super-White setting
 - graphics and 301
- S-Video connector 31
- S-Video signal 31
- Swap Slide transition 512
- Swing transition 511
- Sync Adjust Movies setting 263, 451
- sync beeps 437–438
 - inserting in audio tracks 437–438
 - verifying sync 441
- synchronization
 - audio/video. See audio/video sync
- System 7 Sound format 374
- system requirements 25

S (VOLUME II)

sample rates

- capturing audio and 402
- described 402
- mismatched 539–540
- QuickTime 539
- Sync Adjust Movies setting 539–540

samples 482

saving items

- autosave feature 543
- files 543

Scale Attribute Times option 195, 496

scratch disks

- preferences 536, 552–555
- removing 555
- separating audio and video 554
- setting up 552–555

Scratch Disks tab 536, 552–555

scrolling

- through audio clips 427
- through sequences 146
- through tracks 146–149
- in Timeline 145–149
- in Viewer 50

scrubber bar 16, 23, 40

scrubbing

- audio scrubbing 428–430
- in clips 40
- in sequences in Timeline 150
- in thumbnails 543
- turning off 429

Scrub Video tool 328

SD (standard definition) video 53

Select All Tracks Backward tool 170, 176, 334

Select All Tracks Forward tool 170, 176, 334

Selection tool 169, 171, 331

selection tools 328, 331–339

Select Track Backward tool 170, 175, 333

Select Track Forward tool 170, 175, 333, 376

Select Track tool 170, 174, 334

sequence clips 180–181

- opening 275–276, 422
- working with 32

sequence controls 112

sequence markers 198, 198–200

sequence marking controls 112

sequence presets

- choosing 542
- new sequences and 542

sequences 91–108

- adding markers to 198
- adding split clips to 228
- adding to current project 105
- adding tracks to 155–156, 261

applying transitions to in Timeline 303–304

changing settings for 92, 102–104

changing transition alignment in 295

changing transition duration in 294

closing 106

copying between projects 108

creating 104–105

deleting from projects 105

deleting tracks from 156–157

deleting transitions from 293

dragging between projects 108

duplicating 107, 212

editing clips into 163, 215–216

gaps in 187–190, 216–218, 375

jogging through 152

locked tracks in 158–159

moving clips in 341–349

moving transitions in 291

opening 106

opening clips from 33, 339–340

presets for 104

removing clips from 276–278

rendering transitions in 315–317

replacing transitions in 290

scrolling through 146

scrubbing 150

searching for items in 203–205

settings for 93–104

shuttling through 151–152

testing 212, 538

timecodes 547

Timeline settings 96–100, 137–141, 547

transitions in 281–290

video processing settings 100–102

Sequence Settings window 93–102, 438

settings

audio 19, 413

effects 20

filters 20

general 94–95, 537–543

generators 22

labels 551–552

motion 21

scratch disks 552–555

sequences 93–104

timecode 30

Timeline 547–550

Timeline Options tab 96–100, 137–140

transitions 302

trim edits 328–329

Trim Edit window 378–381

user mode 546–547

Video Processing tab 100–102

YCrCb color space 100–102

Shift key 172

Show as Sq. Pixels setting 54, 120

- Show Audio Waveforms option 140, 550
- Show Filter and Motion Bars option 549
- Show Keyframe Overlays option 140, 550
- Show ToolTips option 541
- shuttle control
 - Canvas 112, 113–114
 - Viewer 16, 23, 41–42
- shuttling
 - through audio clips 430
 - through clips 41–42
 - through sequences 151–152
- signal-to-noise ratio 405
- Slide Item tool 328, 365
- Slide transition 321
- slide transitions 321
- sliding clips 365–368
- slip editing 67, 485–486
- Slip into Sync option 134, 394
- Slip Item tool 67, 328, 362
- slipping
 - clips 362–365, 386
 - edit points 433
 - In and Out points 67
- SMPTE timecode 44
- snapping
 - in Timeline 177–178
 - trimming and 330
 - turning on/off 178
 - in Viewer 23
- Snapping control 133, 330
- sorting items
 - clips 222, 552
- sound
 - audio scrubbing and 429
 - turning off audio scrubbing 429
- sound effects 513
- sound effects tracks 515
- sound sweetening 399, 400
- source media
 - breaking links to 523–524, 529–530
 - links to clips 523–524
 - omitting tracks 228
 - reconnecting clips to 524–529
- Space bar 35
- speaker icon 226
- speakers
 - monitoring speakers 453
- Speed Indicator in Timeline 135
- Spin3D transition 318
- Spinback3D transition 318
- Spin Slide transition 321
- split clips 214, 228, 264
- split editing 263–274
 - audio cuts and 439–440
 - changing simple edits to 267–268
 - clearing 270
 - creating 214, 434–436, 440
 - described 62, 214, 263
 - modifying 268–270
 - performing 270–274
 - setting up 62–65, 264–270
 - uses for 264
- split edit overlays 69
- split edit points 62–65, 432, 433
- Split Slide transition 321
- spread
 - adjusting for clips 460–461
 - controlling with keyframes 469–472
 - setting in Viewer 459–461
- Spread slider 419, 459, 460
- square pixels 53–54
- Squeeze and Stretch transition 322
- Squeeze transition 322
- standard definition (SD) video 53
- Standard user mode 546, 547
- Start and End of Edits overlay 70
- Start and End of Media overlay 70
- Start and End sliders for transitions 299
- Starting Timecode field 137, 548
- Star transition 319
- static regions 147–149
- stereo audio
 - displaying 415–416
 - guidelines 472
- stereo effects 472
- stereo levels 451–454
- stereo pair indicators 134, 168
- stereo pairs 167–168
 - creating 416–418
 - display of 415
 - filters and 487
 - pan and 455, 478
 - separating 418
 - settings an 455
- stereo pan 469–471, 472
- Still/Freeze Duration field 542
- still images
 - duration of 542
- Stop button 379
- storyboard 222–224
- Stretch transition 322
- stretch transitions 322
- subclips
 - breaking master clips into 72, 73
 - creating 73, 85–87
 - defining with markers 75
 - described 72
 - extending In and Out points on 75
 - finding original master clip 74
 - poster frames and 75–76
 - turning markers into 85
 - unused footage and 77–78
 - working with 72–78
- subframe audio operations 428, 482–486

- subframe keyframes 482–484, 511
- subframe syncing 514
- superimpose editing 256–258
 - described 214
 - target tracks and 230
- superwhite 101
- swap editing 368–370
- Swap Slide transition 321
- Swing transition 318
- Sync Adjust Movies setting 539–540, 545
- synchronization
 - music 485

S (VOLUME III)

- Samples parameter 44
- Scale/Distort handles 65
- Scale3d command 224
- Scale command 224
- Scale parameter 42
- Scale to Sequence command 110
- scaling items
 - clips 67–68
- Screen compositing mode 33
- scripting
 - described 195
 - rules for 205
- scripts
 - applying in Timeline 202
 - building 196–197
 - coding 196
 - creating 199–200
 - customizing 207
 - described 195
 - encoding 203
 - examples 206–207
 - exporting 203–204
 - exporting as text 203
 - input controls in 197, 206
 - installing 204–205
 - modifying effects with 199
 - naming 199, 206
 - opening 200
 - planning 196
 - structure of 196, 205–207
 - testing 196, 200–202
 - using in Final Cut Pro 204
 - viewing code 200
- Scrolling Text generator 152
- Sepia filter 136
- sequences
 - applying composite mode to 30
 - applying scripted effects to 202
 - nested 9, 38–41
 - rendering 171–172
 - rendering audio in 173–175
- Set Field statement 254
- SetPixelFormat command 245
- Set statement 254
- SetTextFont command 241
- SetTextJustify command 241
- SetTextSize command 242
- SetTextStyle command 241
- settings
 - alpha channels 20–21
 - clip speed 155
 - compositing 27–38
 - Filters tab 117–118
 - keyframing 78–82
 - motion 42–59, 62–76
 - Motion tab 42–59

- paste attributes 126
- render quality 164–170
- video filters 117–118
- YCrCb color space 178–181
- Sharpen filter 141
- Shift key 89
- Sign function 219
- Sin function 218
- slider controls 45, 119
- Slider statement 250
- Slug generator 148
- Soft Edges filter 140
- Soft Light compositing mode 35
- Softness parameter 44
- Solarize filter 142
- source media
 - rendering 160
- Speed command 154
- Speed settings 154–155
- Spill Suppressor, Blue filter 138
- Spill Suppressor, Green filter 138
- Sqrt function 218
- src1 variable 249
- src2 variable 249
- srcsGap1 variable 250
- srcsGap2 variable 250
- srcType1 variable 249
- srcType2 variable 249
- Stop Motion Blur filter 143
- Straight alpha channel 20
- string data type 217
- StringToNum 240
- strobe effects 154
- Strobe filter 144
- stylize filters 142
- Subroutine statement 257
- Subtract command 235
- Subtract compositing mode 31
- superimposed video 11, 19
- superimpose editing
 - performing 12–13
- superwhite 177–179
- SysTime command 243

T (WHAT'S NEW)

- tape-to-tape color correction 20
- telecine color correction 18–20
- Three Up screen layout 113
- through edit 141
 - removing 142
- through edit indicator 141
 - displaying 141
 - hiding 141
- timecode overlays 122–124
 - in Canvas 122
 - information displayed by 124
 - uses for 122
 - viewing 123
- timecodes
 - audio 124
 - color coding of items in sync 124
 - video 124
- Timeline shortcut menu
 - composite mode options in 153
 - Speed option in 153
- Tool Bench 115–119
 - opening 116
 - QuickView tab in 115
- Video Scopes tab in 27–30
- Voice Over tab in 82
 - transcoding. See recompressing media

T (VOLUME I)

- tabbed windows 86–87
- tail clips 535
- tape. See videotape
- tape-based editing suites 19, 20
- Targa files 155, 375
- TARGA format 21
- target track control 367
- Target Track controls
 - in Timeline 76
- target tracks
 - defined 535
 - exporting 427
- Target Video Track Only setting 427
- TC column in Browser 170
- television 26
- temporal compression 117, 124, 334
- terminators 37
- TGA format 155, 375
- three-point editing 535
- Thumbnail column in Browser 171
- thumbnails
 - defined 535
 - displaying 193
 - hiding 194
 - poster frames 198
 - scrubbing through 194
- .tif extension 406
- TIFF files
 - extension for 406
- TIFF format 21, 155, 375, 535
- timecode 91–94
 - accuracy of 421
 - blacking video 360
 - calibrating 250–251, 358, 421
 - calibration 358, 421
 - capturing 39–42, 44
 - capturing audio 157
 - changing 421
 - changing clip's timecode 19
 - described 91, 535
 - determining type of 91
 - drop frame 428
 - drop frame timecode 66, 91–92, 528
 - DV 339
 - EDLs and 149, 286, 421, 436
 - entering 92–93
 - format of 91
 - iMovie and 148
 - logging tape and 222
 - LTC 41
 - navigation with 93
 - non-drop frame 91–92, 531
 - problems with 452, 453
 - serial connection 41, 44
 - setting starting timecode 66
 - shortcuts for 93
 - slate 345
 - start time 66, 428
 - user-programmable 421
 - video decks and 41
 - VITC 41
- timecode breaks 350–351, 421
 - aborting capture on 263
 - avoiding 252, 452
 - avoiding during capture 149
 - recapture process and 280
 - source tapes 149
- Timecode Duration field 93, 226, 353
- timecode fields
 - Canvas 93
- timecode numbers 419–420
- timecode offset 250–251
- Timecode Offset field 129
- timecode tracks 349–350, 351
- Time Display option 177
- Timeline
 - audio waveforms 67
 - Canvas and 76
 - closing 76
 - displaying video tracks in 76
 - drop frame timecode 66
 - illustrated 68
 - keyboard shortcuts used in 469
 - navigating in 76
 - opening 76
 - overview 76
 - playback from 331
 - playback options 341
 - playing clips in 331
 - playing sequences in 331
 - positioning playhead in 340
 - preferences 66
 - recording from 337, 340–342
 - sequences and 76
 - setting starting timecode number 66
 - shortcut menus in 493–494
 - tabs in 86
 - Target Track controls in 76
 - working with tracks in 76
- Timeline Options tab
 - described 66
- Timer option 128
- Time Source setting 128
- timing
 - standard element 346, 357
- timing information 210
- Timing tab 210
- titles 419
 - EDLs 419, 426
- title safe area 535
- Tool palette
 - illustrated 68, 77
 - selecting tools in 77

- viewing tools in 77
- tools
 - See also specific tools*
 - keyboard shortcuts for 479–482
 - in Tool palette 77
- tooltips 85
- To Out option 342
- total run time (TRT) 345
- Total setting 356
- track controls 238–239
- Track Height control 76
- Track Hinter Settings option 387
- tracks
 - See also* audio tracks; video tracks
 - control tracks 349–350, 351
 - default number of 66
 - defined 535
 - Edit to Tape command and 349
 - EDLs and 423
 - invisible tracks 530
 - key 424
 - music 442
 - order of 76
 - Print to Video command and 349
 - target 367, 427
 - target tracks 535
 - timecode 349–350, 351
 - timecode tracks 349–350
 - types of 419
 - vertical height 66
 - on videotape 349–350
 - working with in Timeline 76
- Tracks column in Browser 171, 240
- track selection tool 480
- Track Size option 66
- Track Visibility control 440, 443
- trailers
 - adding 81, 356
 - black 346
 - black trailers 346, 356
 - options 346, 356
- Trailer setting 346, 356
- transition codes 511–513
- transition effects. *See* effects
- transitions
 - See also specific transition names*
 - described 535
 - edits with 419–420
 - EDLs and 417, 419, 424, 425, 427
 - non-standard 425
 - types of 419–420
 - V2 tracks and 424
 - YCrCb color space and 164
- transport controls 354, 363, 366
 - Canvas 88
 - Edit to Tape window 354
 - Log and Capture window 80, 227

- Viewer 88
- Trim Edit window
 - described 79
- trimming
 - See also* editing
 - described 536
 - edits 79
- troubleshooting 447–456
 - A/V sync problems 449–452
 - See also* artifacts; messages
 - audio problems 28, 29, 454–455
 - camcorder/deck problems 448, 453, 454
 - common problems 448–455
 - contacting AppleCare Support 456
 - editing to tape 452
 - EDL exports 429
 - EDLs 417, 429
 - external speakers 449, 454
 - importing batch lists 431
 - monitor problems 27, 448–449, 453
 - opening autosave files 175
 - performance problems 454
 - playback problems 448–453, 455
 - reference movies 455
 - stuttering video 453
 - timecode problems 452, 453
 - video devices 448, 453
 - video problems 449–452
- TRT (total run time) 345
- tutorials 10, 59
- two-pops. *See* sync beeps
- Type column in Browser 171
- Type option 408

T (VOLUME II)

Target Track controls

- adding split clips 228
- omitting source media tracks 228
- specifying target tracks for
 - editing 61–162
- in Timeline 131, 226–230

target tracks

- deselecting 226, 228
- designating in edits 161–162
- drag operations and 230, 261–262
- selecting in Timeline 161–162, 225–227
- superimpose editing and 230
- swapping 227

three-point editing 215–221

Threshold parameter 491

Thumbnail Cache setting 543

Thumbnail Display setting 138, 548

thumbnails

- cache for 543, 554
- displaying 548
- scrubbing through 543

thumb tabs 128

timecode

- described 43–44
- drop frame timecode 43, 548
- entering 45–46
- extending marker duration with 84, 202–203
- moving clips with 345
- moving items with 183–184
- moving markers with 83, 202
- moving playhead with 43, 46–47
- navigation with 150
- NTSC format and 43
- searching for items by 204–205
- settings 30
- setting starting timecode 548
- sliding clips with 367–368
- slipping clips with 364
- trimming and 370–372
- types of 43–44
- using in Viewer 43–47

timecode breaks

- Sync Adjust Movies setting and 540

Timecode Duration field 29, 61, 121

timecode fields

- Canvas 112, 121–122
- Viewer 17, 29–30

Timecode navigation field 500

timecode tracks 521, 522

Timeline 126–207

- adding transition effects in 283
- adjusting keyframes in 475
- applying transitions to sequences 304
- canceling edits in 370
- Canvas and 108, 126

changing pan in 478

changing volume in 474–477

closing sequences in 106

color coding in 135

copying/pasting clips in 184–186

copying clips to Browser 181

creating static regions for tracks 147–149

customizing display of 136–141

cutting clips in 373–374

deleting items in 191–193

deselecting items in 177

displaying audio tracks in 136

displaying filters in 497

displaying video tracks in 136

dragging audio clips to 422

editing in 131–135, 259–262, 439–444

edit points in 230–238

filter bars in 497

jumping to locations in 150

linking items in 166–167

loading transitions from 303

locking tracks in 158–159

markers in 151, 197–203

modifying audio transitions in 448–450

modifying clips in 179–181

modifying transitions in 293–295, 449

motion bars in 497

moving clips within 182–184, 201

navigating in 130–131, 149–152

opening clips from 33, 422

opening Item Properties window in 205

opening sequences in 106

opening transitions from 304

options 136–141, 547–550

overview 126–135

performing ripple edits in 355–356

performing roll edits in 350–351

playhead in 130

playhead navigation in 149–152

positioning playhead in 150

preferences 137–141, 535, 547–550

replacing clips from In point 250

resizing clips in 346–348

ruler 130

scrolling in 145–149

scrubbing sequences in 150

searching for items in 203–205

selecting clips in 171–177, 334–339

selecting edit points in 334–335

selecting items in 168–177

selecting target tracks in 161–162, 225–227

setting In and Out points in 230–238

showing clips in 190–191

sliding clips in 366–368

- slipping clips in 363–365
- snapping in 177–178
- tabs in 127, 136
- Target Track controls in 226–230
- trimming edits in 327
- working with audio in 436–444
- working with clips in 128, 152–154
- working with items in 163–203
- working with tracks in 127–130, 154–162
- zoom controls in 128, 142–145, 426, 427, 439
- zooming view of 142–145, 426, 427, 439
- Timeline Options tab
 - described 535
 - Preferences window 136–141
 - Sequence Settings window 96–100
- time scale 303
- title safe boundaries 58–59
- tone 412, 431, 441–443, 511
- Tool palette
 - selecting items in Timeline 169–177
 - trimming tools in 328–329
- tools
 - media management tools 519–532
 - pen tools 473, 542
 - selection tools 331–339
 - Timeline selection tools 169–177
 - in Tool palette 169–177, 328–329
- track gaps 187, 188–190, 375, 376
- Track Height control 130, 437
- Track pop-up menu 378
- tracks
 - adding to sequences 155–156, 261
 - ambience 515
 - audio played in real time 478–479
 - default number of 550
 - default size of 548
 - deleting from sequences 156–157
 - dialog tracks 515
 - hiding 159–161
 - invisible tracks 132, 159–161
 - locked tracks 158–159, 161, 229, 331
 - maximum number of 478
 - moving audio between 444
 - moving clips between 182
 - music 515
 - omitting source media tracks 228
 - pasting clips onto 187
 - rippling on 358
 - rolling 352
 - scrolling vertically through 146–149
 - selecting 169, 333–334
 - selecting all clips on 174–177
 - selecting for trimming 333–334
 - selection tools 174–177, 333–334
 - size of 548
 - sound effects 515
 - target tracks 161–162
 - voiceover tracks 515
 - working with in Timeline 127–130, 154–162
 - working with regions 146–149
- track selection tools 174–177, 328, 333–334
- Track Size option 137, 548
- Track Visibility control 132, 160
- transition bar 299
- Transition Editor
 - applying transitions to sequences 303–304
 - controls in 296–302
 - displaying clips in 303
 - loading/modifying transitions 303
 - trimming transitions/clips 305–308
 - zoom controls in 303
- transitions 281–323
 - adding in Timeline 283
 - adding transition effects 282–289
 - alignment of 295, 297
 - applying to sequences in Timeline 304
 - changing location 306–307
 - copying 292
 - custom settings 302
 - default transitions 286–287, 302, 313–314
 - deleting from sequences 293
 - described 281
 - duration of 293–294, 297, 306
 - EDLs and 285
 - fade-to-black transitions 289
 - favorite transitions 309–313
 - included with Final Cut Pro 318–323
 - insert with transition edits
 - 242–244, 283
 - making precise changes to 296–308
 - modifying 313–314
 - modifying in Timeline 293–295
 - modifying in Transition Editor 303
 - moving 291
 - opening in Transition Editor 296, 303
 - overlapping frames and 284–285
 - overwrite with transition edits
 - 246–248, 283
 - previewing 316
 - rendering 315–317, 504–506
 - replacing 290
 - resetting properties of 302
 - reversing direction of 302
 - in sequences 281–290
 - settings 302
 - start/end percentages slider 299–301
 - trimming 305–308
 - vs. cuts 282
- transport controls
 - Canvas 111, 115–116
 - keyboard shortcuts 25
 - Trim Edit window 379, 386
 - Viewer 16, 24

- trim editing 327–396
 - controls for 330–331
 - Tool palette 328–329
 - windows used for 327
- Trim Edit window 377–386
 - canceling edit in 385
 - closing 383
 - controls in 378–381, 386
 - opening 382–383
 - playing back edits in 386
 - reviewing edits in 386
 - slipping clips in 386
 - trimming edits in 328, 383–385
 - using 382–386
- trimming 327–396
 - audio clips 434–436
 - clips 305–308
 - described 305, 327
 - frames and 539
 - opening clips for 339–340
 - selecting clips for 331–339
 - selecting edit points for 334–335, 336
 - selecting tracks for 333–334
 - selection tools for 331–339
 - with timecode 370–372
 - track selection tools for 333–334
 - transitions 305–308
 - in Trim Edit window 377–386
 - types of trimming operations 341–377
 - in Viewer 370–372, 434–436
 - warning messages for 340

T (VOLUME III)

- Tan function 218
- Text generator 153
- Text statement 251
- Timecode navigation field 118
- Timecode Print filter 144
- Timeline
 - adjusting opacity in 14–19
 - applying scripts in 202
 - displaying filters in 127
 - filter bars in 60–62
 - motion bars in 60–62
 - positioning clips in 13–14
 - transparency effects 14–19
- Tint effect 206–207
- Tint filter 136
- title safe boundaries 54–55
- titling generators 151–153
- To 147
- tools
 - pen tools 78
- tracks
 - invisible tracks 185
 - key tracks 19
 - moving clips between 13–14
- Transition command 239
- Transition statement 252
- transparency effects 14–19
- Travel Matte compositing mode 36
- travel mattes 37–38
- true constant 246
- Truncate command 243
- Typewriter generator 153

NO “U” IN WHAT’S NEW

U (VOLUME I)

- Ultra2 LVD SCSI disks 37, 38
- Ultra ATA disk drives 36
- U-Matic format 536
- uncompressed video 34, 153, 327, 333
- Undo command 96
- undo function
 - levels of undo 65
 - undoing changes 96
- Unix operating systems 374
- Up button in Log Bin controls 233
- Update button for markers 236
- USB hubs 45, 46, 47
- USB-to-serial adapter 29, 44, 45, 46
- Use Deck Search Mechanism option 129
- Use Digitizer’s Default Settings button 237
- Use In/Out option 409
- Use Item In/Out option 407
- Use Logged Clip Settings option 276
- Use option 386, 392, 400
- user mode
 - Cutting Station mode 59, 418
 - setting 56, 59
 - Standard mode 59
- User Mode option 56
- user-programmable timecode 421
- Use setting 118

U (VOLUME II)

- underscanning 58
- Undo command 212
- undo function
 - levels of undo 211, 538
 - memory and 538
 - undoing actions 211
 - using to test sequences 212, 538
- user mode
 - changing 547
 - choosing 10
 - Cutting Station mode 546, 547
 - preferences 535, 546–547
 - setting 546–547
 - Standard mode 546, 547
- User Mode tab 535

U (VOLUME III)

- Undo command 181
- undo function
 - FXBuilder 197
- UnMultiply command 235
- Unsharp Mask filter 141

V (WHAT'S NEW)

Vectorscope 30, 31–33

video monitor. *See* broadcast monitor

video scopes

See also specific scope names

display options 29–30

Histogram 34–35

in Final Cut Pro 27–36

Parade scope 35–36

Vectorscope 31–33

Waveform Monitor 30–31

Video Scopes tab 115

opening in the Tool Bench 28

options in 28–30

video timecodes 124

voice-over

audio-recording devices for 86

audio track placement 89–90, 92

pre-roll and post-roll 93

recording 91–92

recording multiple takes 92

setting up Final Cut Pro to record 88–90

setting up your computer to record 86–87

Voice Over tab 82

opening in the Tool Bench 82

Voice Over tool 81–93

controls in 82–85

correcting for latency 84, 86–87

defining the recording duration 88–89

defining the target track 89–90

memory requirements 81–82

opening 82

V (VOLUME I)

V1 tracks 424

V2 tracks 424

VCR (Videocassette Recorder) 536

VCR mode 40, 338, 358

Vectorscope 242–246, 519–521, 536

Venetian Blind Wipe transition 513

vertical interval timecode (VITC) 41, 128, 147

VHS deck 322

VHS format 17, 322

video

See also QuickTime

16:9 378

See also analog video; digital video

accurate color 518–522

broadcast 378

capture presets 121–122

capturing. *See* capturing process

Component 527

Composite 21

compression 333–334

creation process 20–21

data rates 151–152

different tape formats 144–145

file formats 290, 373

fonts and 301

frame size 378

iMovie use 148, 329

interlaced 294, 295, 530

letterbox 378

letterbox video 501–502, 509

line art and 301

logging 222

matching for clips 90

matching for sequences 90

M-JPEG 34

non-interlaced 531

outputting to CD-ROM 325

outputting to DVD 324

overscan 378

presets 64, 114–115

printing to 331

problems with 449–452

quality of 30, 31, 378

QuickTime settings 114–115, 121–122, 382–385

saving to scratch disk 56, 59

sequence presets 114–115, 118

Standard Definition 396

stuttering 453

synchronizing with audio. *See* audio/ video sync

transferring film to 323–324

transferring to film 323–324

uncompressed 34, 153, 333

video artifacts. *See* artifacts

video camera. *See* camcorder

- video capture. *See* capturing process
- video capture cards 415
 - analog-to-digital 17, 25, 27, 28, 30, 32
 - capture presets and 119
 - codecs and 145
 - color bars and 345
 - connecting analog equipment to 47–48
 - data rates 151
 - memory and 26, 54
 - third-party 26, 29, 115, 151
- Videocassette Recorder (VCR) 536
- Video CD format 325
- Video CDs 325
- video clips. *See* clips
- video codecs. *See* codecs
- video compression 333–334
 - described 333
- video deck
 - analog video decks 29, 47–48
 - capturing video with 270–272
 - connecting video monitor through 27
 - controlling with Final Cut Pro 39
 - controlling with transport buttons 39
 - device control 39–42, 147, 229, 230, 270
 - DV video decks 25, 45
 - Edit to Tape command 358
 - FireWire and 40, 42, 147
 - insert edits and 351
 - Local control 39
 - logging tapes with 150
 - manual use of 39
 - multiple decks 126
 - Print to Video command 344
 - problems with 448, 453
 - recording from Timeline 340–342
 - Remote control 39
 - serial device control 147
 - settings 338
 - smooth recording speed 341
 - timecode and 41
 - timecode tracks and 349
- video devices
 - See also* analog devices; devices
 - capturing clips manually 147
 - Easy Setup for 56–59
 - preferences 25
 - troubleshooting 448
- video devices. *See* device control; devices
- video editing. *See* editing
- video effects. *See* effects
- video equipment
 - See also* hardware
 - connections 358
 - connectors. *See* connectors
 - considerations 25–30
 - Easy Setups for 56–59, 338–339
 - editing to tape and 358
 - film transfer facilities and 323
 - recording to videotape and 338
 - video signals 31–33
- Video Files option 214, 216
- video filter icon 172
- video filters
 - See also* audio filters; filters; *specific filter names*
 - settings 72
- video footage. *See* footage
- video format. *See* file formats
- Video Format option 394
- video generator icon 172
- video generators
 - See also* generators
- Video Items Format section of tab 209
- Video Levels setting 427
- video signals 31–33
- Video tab 352, 352–354
 - controls in 352–354
 - described 71–72
 - Viewer shortcut menus 488
- videotape
 - See also* video
 - analog 322
 - blacking 360, 360–361
 - color bars 345
 - considerations 322
 - cueing 339, 363, 366
 - digital 322
 - editing to 331, 349–368
 - exporting anamorphic media to 509
 - format 322
 - logging 148–150, 222
 - master 416, 428
 - organizing 421–423
 - outputting clips to 331
 - outputting sequences to 331
 - outputting to 26, 47, 53, 331
 - preparing with black and code 360–361
 - printing to 331, 337, 343–346
 - recording to 337–346
 - source 416, 421–423
 - television broadcast 26
 - tracks on 349–350
 - unique reel names 421–423
 - write-protection tab 339
- Videotape Recorder (VTR) 536
- video tracks
 - See also* audio tracks; tracks
 - compression 391
 - default number of 66
 - displaying 76
 - EDLs and 417
 - exporting 427
 - in Timeline 76
- video transfer facilities 323

- video transition icon 171
- Vid Rate column in Browser 171
- View During Playback Using setting 132
- View During Recording Using setting 133
- Viewer 71–73
 - closing 71
 - controls in 71, 88–90
 - illustrated 68
 - keyboard shortcuts used in 482
 - opening 71
 - opening exported files in 411
 - shortcut menus in 488–492
 - tabs in 86
- View menu 130, 134
- virtual memory 454
- VISCA format 148
- VITC (vertical interval timecode) 41, 128, 147
- voiceover tracks 442
- volume
 - See *also* audio levels. See audio levels
- Volume slider 126
- VTR (Videotape Recorder) 536
- V tracks 419, 424
- VTR mode 338, 358, 518
- VU meters 28
- V Wipe transition 513

V (VOLUME II)

- Venetian Blind Wipe transition 323
- vertical scroll bars 128
- video
 - displaying in Viewer 47–59
 - external video 39
 - inactive 24
 - linking items 165–167
- video deck
 - sample rates 539–540
- Video Processing tab 100–102
- Video tab
 - controls in 16–17
- video tracks
 - analyzing 521, 522
 - default number of 550
 - disabling in clips 191
 - displaying 136
 - locking 158–159, 229
 - scrolling through 147
 - target tracks 162, 225–226
 - in Timeline 127, 152–154
- video transitions 286, 294
 - adding 286, 288
 - changing duration 294
 - default 286, 313–314
- view controls 119, 120
- Viewer 15–87
 - activating 18
 - audio controls 418–421
 - Audio tab 415–421
 - Browser/Viewer operations 30–38
 - canceling edits in 370
 - closing 18
 - controls in 16–17
 - described 15–17
 - displaying video in 47–59
 - editing audio in 432–436
 - In and Out points 224–225
 - media and 108
 - moving playhead in 502
 - navigating in 40–43
 - opening 18
 - opening clips in 33–34, 339–340, 422
 - opening sequence clips in 180–181, 275–276
 - opening sequences in 106
 - overlays in 68–71
 - performing ripple edits in 356
 - performing roll edits in 352
 - playing clips in 35–37
 - resizing clips in 348–349
 - setting audio levels in 455–458
 - setting edit points in 59–71
 - setting stereo pan/spread in 459–461
 - setting up split edits in 62–65
 - slipping clips in 365

- split edits in 265–267, 270–274
- tabs in 16, 18–22
- trimming audio clips in 434–436
- trimming in 327, 370–372
- turning off audio scrubbing in 429
- uses for 15–16
- using markers in 78–87
- using timecode in 43–47
- video display in 47–59
- viewing alpha channels in 55–56
- viewing filters in 497
- viewing RGB channels in 55–56
- working with audio in 414–421
- working with In and Out points in 59–71
- working with markers in 78–87
- zoom controls in 28, 48–50
- Viewer window 51
- View menu 180
- View pop-up menu
 - Canvas 112, 119, 120
 - Viewer 17, 28
- Vocal DeEsser filter 492, 510
- Vocal DePopper filter 492, 510
- voiceover recordings 511
- voiceover tracks 515
- voices 453
- volume
 - adjusting for clips 419, 457–458
 - changing in Timeline 474–477
 - master monitoring volume 453
- VU meters 407, 409, 411
- V Wipe transition 323

V (VOLUME III)

- V1 tracks 19
- V2 tracks 19
- variables 210
- video
 - superimposed video 19
 - video filter category 143–144
 - video filters 115–144
 - After Effects filters 144
 - applying to clips 123–126
 - color control 121
 - controls for 119–122
 - displaying in Timeline 127
 - favorite filters 130
 - included with Final Cut Pro 132–144
 - keyframing 130
 - modifying 128–129
 - parameter controls 117
 - removing 129
 - settings 117–118
 - start and end points 117
 - uses for 115–116
- video generators 145–153
 - adding 147
 - described 145
 - graphical generators 148–150
 - included with Final Cut Pro 148–153
 - using 148–153
 - working with 146–147
- Viewer
 - Filters tab in 117–118
 - loading clips into 128
 - opening clips in 62
 - viewing alpha channels in 24
- View Finder filter 144

W (WHAT'S NEW)

Waveform Monitor 29, 30–31
window layout. *See* screen layouts
wireframe modes 143

W (VOLUME I)

Wave files 21, 329, 406
Wave format 157, 374, 399
Waveform Monitor 242–245, 519–522, 536
 Vectorscope 519–520
Waveform Monitor and Vectorscope button 239, 521
waveforms
 displaying 67, 72
 .wav extension 406
Web
 See also Internet
 compression for 326–327
 distributing movies on 326–327
 distributing QuickTime movies on 326–327
 QuickTime files for 372
 video size and 378
Web sites
 Apple Store 13
 Apple Support 11–12, 456
 Apple Web sites 11–13
 Final Cut Pro 11, 21
 FireWire 13, 40
 QuickTime 13, 384
What's New? menu item 11
Where Do I Start? menu item 11
white, absolute 240
White value 119
white value 165
widescreen format 536
widescreen video 499, 500
 See also anamorphic media
window burn 31
window dub 536
windows
 See also specific windows
 activating 69
 in Final Cut Pro 68–79
 screen layouts 94–96
 tabbed windows 86–87
 Undo/Redo commands and 96
Windows systems
 audio formats 374
 AVI movies 389
 image formats 375
 video formats 373, 374
 Wave format 374, 399
wipes 419
wireframe 536
word-processing programs 150, 430, 431

creating batch lists 430, 431
write-protection tab 339

W (VOLUME II)

waveform cache 554
waveform display area 420, 423–428
waveform displays 19, 429
waveforms
 analog 401
 audio levels and 405
 in audio tracks 436–437
 displaying 550
 dynamic range and 404
 navigating through 423–426
waveforms, audio 415
wipes 281
Wipe transition 321
wipe transitions 322–323
Wrap Wipe transition 323

W (VOLUME III)

Wave command 231
Wave filter 134
When 179
Whirlpool command 230
Whirlpool filter 134
White alpha channel 21
Wide Screen filter 140
Wind Blur filter 132
window burn 144
WipeCode statement 252
wireframe handles 67–76
Wireframe mode 63
wireframe views 62–65

X (VOLUME I)

X coordinate 536
XLR connectors 29

X (VOLUME III)

X and Y coordinates 51–53

Y (VOLUME I)

Y coordinate 536
YCrCb color space
 defined 536
 updating projects and 163, 164–165
YCrCb format 32, 536
You 385
YUV color space 145, 165, 518
 See also YCrCb color space
YUV processing 145, 165

Y (VOLUME II)

YCrCb color space
 settings for 100–102

Y (VOLUME III)

YCrCb color space
 compositing and 178
 rendering in 177–181
 settings for 178–181
 updating projects and 180
 working in 177
YUVcolor data type 218
YUVColorKey command 237
YUVtoRGB variable 250

Z (WHAT'S NEW)

zebra striping 26–27

Z (VOLUME I)

Zero Setup waveform level 520
Zip drives 34
Zoom In tool
 keyboard modifiers 480
Zoom Out tool
 keyboard modifiers 480
Zoom transition 511

Z (VOLUME II)

Zigzag Wipe transition 323
zoom controls
 audio clips 423–427, 439
 in Audio tab 421
 audio waveforms 423–425
 in Canvas 119
 keyframe graphs 500
 in Timeline 128, 142–145, 426–427, 439
 Timeline 142, 143
 in Transition Editor 303
 in Viewer 28, 48–50
 waveform display area 423–428
zoom feature 48–50
Zoom In tool
 Timeline 144–145, 426
 Tool palette 328
 Viewer 49, 51
Zoom Out tool
 Timeline 144–145, 426
 Tool palette 328
 Viewer 50
Zoom pop-up menu
 Canvas 112, 119
 Viewer 16, 28, 48–49
Zoom slider
 Audio tab 421
 keyframe graphs 500
 Timeline 131, 142–143, 146, 425
 Viewer 421
Zoom transition 318, 321

Z (VOLUME III)

Zoom Blur filter 132
zoom controls
 in Canvas 66–67
 keyframe graphs 80–82, 118
Zoom slider
 keyframe graphs 118
 Motion tab 80